

G2LU3CCM01E

Smart USB-C to USB-C [USB-IF Certified] 10Gbps 3.3ft (1m) Cable with E- Marker

Get the most out of your USB-C port with this premium smart USB-C cable.



The Most Capable Smart USB-C Cable (USB-IF Certified)

Get the most out of your USB-C port with this premium smart USB-C cable. The embedded E-marker chip is capable of identifying the maximum power and speed capabilities of your devices to maximize the data transfer and power delivery. The cable received the highest certification by USB-IF to ensure maximum data transfer speed and power delivery with peace of mind for use with any USB-C devices available on the market. With a premium build quality, this is the most capable USB-C cables available today. Don't get short-changed by other cables.

Blazing Fast Transfers


Get the highest bandwidth supported by USB and transfer data at SuperSpeed+™ speeds. Enjoy up to 10Gbps of data transfer rates at blazing fast speeds. Transfer movies, pictures, music from your hard drive in seconds. Start watching or listening right away without the wait.

Maximum Power + Fastest Charging Possible

This smart USB-C cable negotiates the highest power needs of each of your devices to deliver the maximum power available. This cable supports both 3A and 5A up to 100W of total Power Delivery for super fast charging from your docking station or AC adapter.

- The most capable smart USB-C cable on the market
- Embedded E-marker chips
- Highest USB data transfer rate up to 10Gbps
- Highest USB-C power delivery up to 100W(5A)
- Compatible with all new MacBook, Chrome book Pixel and newly launched USB-C smartphones and tablets
- Compatible with Thunderbolt USB-C devices up to USB 3.1 Gen 2 speeds and power delivery





Requirements

- USB-C device or system

Package Contents

- 1 x G2LU3CCM01E
- 1 x Warranty Card

Specifications

Function	G2LU3CCM01E	Dimensions	G2LU3CCM01E
Cable Length	3.3ft (1M)	POP Information	
Cable Type	USB 3.1 Gen2	10" Peg Hook	6
Connectors		6" Peg Hook	4
USB	USB Type-C Male to USB Type-C Male	Unit Dimensions	
Max Output Power	20V, 5A	Height	0.2" (0.5 cm)
		Depth	0.5" (1.25 cm)
		Length	39.4" (100 cm)
		Inner Pack	
		Width	7.7" (19.5 cm)
		Height	6.1" (15.5 cm)
		Depth	4.7" (12 cm)
		Inner Pack Qty.	6
		Unit Package Dimensions	
		Width	4.33" (11 cm)
		Height	5.7" (14.5 cm)
		Depth	1.2" (3 cm)
		Master Carton	
		Width	16.2" (41 cm)
		Height	7" (18 cm)
		Depth	6.3" (16 cm)
		Master Carton Qty.	24
		Weight	
		Master Carton Wt.	4.1 lb. (1.9 kg)
		Inner Pack Wt.	1.35 lb (0.61 kg)
		Unit Pack Wt.	0.2 lb (0.01 kg)
		Unit Wt.	0.1 lb (0.05 kg)