



TP-Link Archer MR200 wireless router Fast Ethernet Dual-band (2.4 GHz / 5 GHz) 4G Black

Brand : TP-Link

Product code: ARCHER MR200 V2

Product name : Archer MR200

3x 10/100Mbps LAN, 1x 10/100Mbps LAN/WAN, 1x SIM Card, 3G/4G, 802.11ac/a/b/g/n, 433Mbps 5GHz + 300Mbps 2.4GHz

TP-Link Archer MR200. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 433 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Mobile network generation: 4G, 2G standards: Edge, GPRS, GSM, 3G standards: DC-HSPA+, HSPA, HSPA+, UMTS. Security algorithms: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Data link protocols: IPv4, IPv6



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM card slot *	✓	Universal Plug and Play (UPnP)	✓
3G/4G USB modem compatibility *	✗	Data link protocols	IPv4, IPv6
Wireless LAN features		Design	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Product colour	Black
Top Wi-Fi standard *	Wi-Fi 5 (802.11ac)	LED indicators	✓
WLAN data transfer rate (max) *	433 Mbit/s	On/off switch	✓
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Product type *	Tabletop router
WLAN data transfer rate (first band)	300 Mbit/s	Certificates	
WLAN data transfer rate (second band)	433 Mbit/s	Certification	CE, FCC, RoHS
Network		Packaging content	
Ethernet LAN *	✓	Cables included	LAN (RJ-45)
Ethernet LAN interface type *	Fast Ethernet	AC adapter included	✓
Ethernet LAN data rates	10,100 Mbit/s	Quick start guide	✓
Cabling technology	10/100Base-T(X)	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenna design *	External
VPN support	PPTP, L2TP, IPSec	Antennas quantity	5
Mobile network		Detachable antenna(s)	✓
Mobile network generation	4G	Transmit power	0 dBmW
3G	✓	Power	
4G	✓	Power source type *	AC
2G standards	Edge, GPRS, GSM	Operational conditions	
3G standards	DC-HSPA+, HSPA, HSPA+, UMTS	Operating temperature (T-T)	0 - 40 °C
4G standard	LTE	Storage temperature (T-T)	-40 - 70 °C
GSM bands supported	850,900,1800,1900 MHz	Operating relative humidity (H-H)	10 - 90%
UMTS bands supported	900,2100 MHz	Storage relative humidity (H-H)	5 - 90%
4G bands supported	800,900,1800,2100,2600 MHz		

Ports & interfaces		System requirements	
Ethernet LAN (RJ-45) ports *	4		Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
USB port *	×		
Memory card slot(s)	×		
DC-in jack	✓		
Management features			
Web-based management	✓		
Quality of Service (QoS) support	✓		
Reset button	✓		
Security			
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Windows operating systems supported	
Firewall	✓	Linux operating systems supported	✓
Stateful Packet Inspection (SPI)	✓	Mac operating systems supported	✓
DoS attack prevention	✓		
Filtering	✓		
MAC address filtering	✓		
IP address filtering	✓		
Weight & dimensions			
Width		202 mm	
Depth		141 mm	
Height		33.6 mm	
Packaging data			
Micro to standard SIM card adapter			✓
Nano to standard SIM card adapter			✓
Logistics data			
Harmonized System (HS) code		85176990	
Other features			
Input current		1 A	

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-FEB-2025. Prints or copies of Information are only valid on the printed Publication date