



APC Back-UPS Pro UPS-virtalähde Linjainteraktiivinen 0,9 kVA 540 W 5 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: BR900G-GR


Tuotteen nimi : Back-UPS Pro

APC Back-UPS Pro. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 0,9 kVA, Lähtöteho: 540 W. Pistorasian tyypit: Tyyppi F, Ulostulojen määrä: 5 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 157 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 4,6 min. Tuotteen väri: musta, Johdon pituus: 1,83 m, Näytön tyyppi: LCD. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: REACH, PEP, EOLI



Features		Design	
UPS topology *	Line-Interactive	Cable length	1.83 m
Output power capacity *	0.9 kVA	Product colour *	Black
Output power *	540 W	Display type	LCD
Input operation voltage (min) *	156 V	Operational conditions	
Input operation voltage (max) *	300 V	Operating temperature (T-T)	0 - 40 °C
Input frequency *	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Output frequency regulation	50/60 Hz	Operating relative humidity (H-H)	0 - 95%
Automatic Voltage Regulation (AVR)	✓	Storage relative humidity (H-H)	0 - 95%
Surge energy rating	613 J	Operating altitude	0 - 3000 m
Hold time (min)	8 ms	Non-operating altitude	0 - 15000 m
Hold time (max)	10 ms	Certificates	
Efficiency	97.4%	Compliance certificates	RoHS
Noise level	45 dB	Certification	REACH, PEP, EOLI
Surge protection	✓	Packaging content	
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network	Cables included	Phone (RJ-11)
Audible alarm(s)	✓	Manual	✓
Audible alarm modes	Low battery alarm, Overload alarm	Sustainability	
Ports & interfaces		Sustainability certificates	Green Premium
AC outlet types	Type F	Weight & dimensions	
AC outlets quantity	5 AC outlet(s)	Width	100 mm
Number of type F outputs	5	Depth	250 mm
USB port	✓		

Battery		Weight & dimensions	
Battery technology	Sealed Lead Acid (VRLA)	Height	382 mm
Battery capacity	157 VAh	Weight	10.7 kg
Typical backup time at full load	4.6 min	Packaging data	
Typical backup time at half load	16.3 min	Warranty card	✓
Battery life (max)	5 year(s)	Bundled software	PowerChute Personal Edition
Battery recharge time	8 h	Package width	225 mm
Automatic battery test	✓	Package depth	337 mm
Cold start	✓	Package height	487 mm
Replacement battery cartridge	APCRBC123	Package weight	12.4 kg
		Logistics data	
		Products per pallet	30 pc(s)
		Harmonized System (HS) code	85078000
		Other features	
		Nominal output voltage	230 V
		Nominal input voltage	230 V



0731304286912



731304286912

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.