



APC Back-UPS Pro UPS-virtalähde Linjainteraktiivinen 1,5 kVA 865 W 6 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: BR1500G-GR


Tuotteen nimi : Back-UPS Pro

APC Back-UPS Pro. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 1,5 kVA, Lähtöteho: 865 W. Pistorasian tyypit: Tyyppi F, Virtapistoke: Tyyppi F, Ulostulojen määrä: 6 AC-pistorasia(a). Akun kapasiteetti: 187 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 3,7 min, Tyypillinen varmuuskopioaika puolikkaalla kuormituksella: 12,3 min. Kotelo: Tower, Tuotteen väri: musta, Johdon pituus: 1,83 m. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: BSI 1363, CE, NEMKO, REACH, TUV-GS



| Features | | Design | |
|---------------------------------|--|-----------------------------------|------------------------------------|
| UPS topology * | Line-Interactive | Display type | LCD |
| Output power capacity * | 1.5 kVA | Operational conditions | |
| Output power * | 865 W | Operating temperature (T-T) | 0 - 40 °C |
| Waveform * | Sine | Storage temperature (T-T) | -15 - 45 °C |
| Input operation voltage (min) * | 156 V | Operating relative humidity (H-H) | 0 - 95% |
| Input operation voltage (max) * | 300 V | Storage relative humidity (H-H) | 0 - 95% |
| Input frequency * | 50/60 Hz | Operating altitude | 0 - 3000 m |
| Output frequency regulation | 50/60 Hz | Non-operating altitude | 0 - 15000 m |
| Surge energy rating | 441 J | Certificates | |
| Hold time (min) | 10 ms | Compliance certificates | RoHS |
| Hold time (max) | 12 ms | Certification | BSI 1363, CE, NEMKO, REACH, TUV-GS |
| Efficiency | 98.9% | Packaging content | |
| Noise level | 45 dB | Cables included | Phone (RJ-11), USB cable |
| Surge protection | ✓ | Manual | ✓ |
| Surge protection features | Digital Subscriber Line (DSL), Fax, Modem, Network | Sustainability | |
| Audible alarm(s) | ✓ | Sustainability certificates | ENERGY STAR, Green Premium |
| Ports & interfaces | | Weight & dimensions | |
| AC outlet types | Type F | Width | 112 mm |
| Power plug | Type F | Depth | 382 mm |
| AC outlets quantity | 6 AC outlet(s) | Height | 301 mm |
| Number of type F outputs | 6 | Weight | 13 kg |
| USB port | ✓ | | |

| Battery | | Packaging data | |
|----------------------------------|-----------|--------------------------------------|-----------------------------|
| Battery capacity | 187 VAh | Warranty card | ✓ |
| Typical backup time at full load | 3.7 min | Software CD | ✓ |
| Typical backup time at half load | 12.3 min | Bundled software | PowerChute Personal Edition |
| Battery life (max) | 5 year(s) | Package width | 235 mm |
| Battery recharge time | 8 h | Package depth | 490 mm |
| Hot-swap battery | ✓ | Package height | 390 mm |
| Automatic battery test | ✓ | Package weight | 13.8 kg |
| Cold start | ✓ | | |
| Design | | Logistics data | |
| Form factor * | Tower | Products per pallet | 20 pc(s) |
| Cable length | 1.83 m | Harmonized System (HS) code | 85078000 |
| Product colour * | Black | | |
| | | Other features | |
| | | Battery type | APCRBC124 |
| | | Nominal output voltage | 230 V |
| | | Nominal input voltage | 230 V |
| | | Suitable for use in country/location | Europe |



0731304286875



731304286875



4053162268586

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.