

Epson SureColor SC-T3200

Tuotemerkki : Epson

Tuotekoodi: C11CD66301A0

Tuotteen nimi : SureColor SC-T3200

- Töiden nopea käsittely: Erittäin nopea grafiikka-, CAD- ja GIS-töiden tulostus
 - Riittoiset mustepatruunat: Pienennä käyttökustannuksia 110, 350 ja 700 ml:n mustepatruunoiden avulla
 - PrecisionCore FTP -tulostuspää: Kiinteä tulostuspää kestää tulostimen koko käyttöiän
 - UltraChrome XD -musteet: Laadukkaat, vivahteikkaat sekä hankauksen- ja vedenkestävät tulosteet
 - PostScript-tuki kaksinkertaisilla 1,6 GHz:n suorittimilla: Eri tiedostomuotojen ja paljon tietoa sisältävien tiedostojen tulostus suoraan ja nopeasti
- SureColor SC-T3200



Printing		Performance	
Print technology *	Inkjet	Internal memory	1024 MB
Colour *	✓	Sound pressure level (printing)	50 dB
Maximum resolution *	2880 x 1440 DPI	Country of origin	China
Page description languages *	ESC/P-R, HP-GL/2, HP-RTL, PostScript 3	Power	
Printing colours *	Cyan, Magenta, Matte black, Photo black, Yellow	Power consumption (standby)	3 W
		Power consumption (typical)	52 W
		Power consumption (off)	0.5 W
Input & output capacity		System requirements	
Maximum number of input trays	1	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows Vista, Windows Vista x64, Windows XP
Paper handling		Mac operating systems supported	Mac OS X 10.5 Leopard
Maximum print size *	A1 (594 x 841 mm)	Linux operating systems supported	✓
ISO A-series sizes (A0...A9)	A1, A2, A3, A4	Weight & dimensions	
ISO B-series sizes (B0...B9)	B2, B3, B4	Width	1050 mm
Cut sheets *	✓	Depth	813 mm
Media thickness	0.08 - 1.5 mm	Height	1117 mm
Print margin cut-sheet	14 mm	Weight	67 kg
Roll top margin	3 mm	Packaging data	
Media width (sheets)	3 mm	Package width	1245 mm
Roll paper	✓	Package depth	1170 mm
Ports & interfaces		Package height	810 mm
Wi-Fi *	✗	Package weight	98 kg
Ethernet interface type	Gigabit Ethernet	Cartridge(s) included	✓
Ethernet LAN *	✓	Drivers included	✓
USB port *	✓	Manual	✓
USB connector	USB Type-B	Quick start guide	✓
USB 2.0 ports quantity	1		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Direct printing	✓		
RJ-45 ports quantity	1		

Performance		Other features	
Product colour *	Silver	Number of power supply units	1
Built-in display *	✓	Logistics data	
Display	LCD	Quantity per pack	1 pc(s)
Display diagonal	6.81 cm (2.68")	Harmonized System (HS) code	84433210



8715946542171

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date