

D-Link DWL-6610APE WLAN-tukiasema 1200 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DWL-6610APE

Tuotteen nimi : DWL-6610APE

D-Link DWL-6610APE. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1200 Mbit/s. Tietoturva-algoritmit: AES, HTTPS, SSH, SSID, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise. Ethernet LAN - datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 10,2 W



Features		Technical details	
2.4 GHz *	✓	Shipping (inner) case net weight	6.89 kg
5 GHz *	✓	Products per shipping (inner) case	6 pc(s)
Maximum data transfer rate *	1200 Mbit/s	Pallet gross weight (air)	212.5 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Master (outer) cases per pallet (air)	24 pc(s)
Frequency band	2.4 - 2.4835, 5.15 - 5.85 GHz	Products per pallet (air)	144 pc(s)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1Q, IEEE 802.3af	Pallet gross length	110 cm
Channels quantity	165 channels	Pallet gross width	120 cm
Wi-Fi Multimedia (WMM)/(WME)	✓	Pallet height (air)	123.5 cm
VLAN support	✓	Pallet gross weight (sea)	347.3 kg
Quality of Service (QoS) support	✓	Master (outer) cases per pallet (sea)	42 pc(s)
Security		Products per pallet (sea)	252 pc(s)
Security algorithms *	AES, HTTPS, SSH, SSID, TKIP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	Pallet height (sea)	2.06 m
MAC address filtering	✓	Shipping (inner) case gross weight	7.79 kg
Number of SSID supported	32	Certificates	
Management features		Certification	CE, FCC, IC, cUL+UL, LVD, RCM, NCC, BSMI, UL2043
Web-based management	✓	Weight & dimensions	
Ports & interfaces		Width	205 mm
Ethernet LAN (RJ-45) ports *	1	Height	39 mm
DC-in jack	✓	Weight	476 g
Power		Packaging data	
Power over Ethernet (PoE) *	✓	Package width	243 mm
Output voltage	12 V	Package depth	235 mm
Output current	1.5 A	Package height	90 mm
Power consumption (max)	10.2 W	Package weight	1.15 kg
Design		Operational conditions	
Placement *	Table	Operating relative humidity (H-H)	10 - 90%
Product colour *	White	Operating temperature (T-T)	0 - 40 °C
Housing material	Plastic	Storage temperature (T-T)	-20 - 65 °C
LED indicators	✓	Storage relative humidity (H-H)	5 - 95%
Internal	✗	Logistics data	
		Harmonized System (HS) code	85176990

Antenna

Antenna features	Detachable antenna
Antennas quantity	4
Antenna gain level (max)	4 dBi

Technical details

Shipping (inner) case length	56.5 cm
Shipping (inner) case width	34.3 cm
Shipping (inner) case height	27.5 cm



0790069432590



790069432590

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.