



ATEN KN2124VA-AX-G KVM-kytkin Telineasennus musta, Harmaa

Tuotemerkki : ATEN

Tuotekoodi: KN2124VA-AX-G

Tuotteen nimi : KN2124VA-AX-G



ATEN KN2124VA-AX-G. Näppäimistöportin liitin: USB, PS/2, Hiiriportin liitin: USB, PS/2, Videoportin tyyppi: DVI-I. Kaapelitekniikka: 10/100/1000Base-T(X), Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, Tietoturva-algoritmit: 3DES, 128-bit RC4, 256-bit AES, DES, FIPS 140-2. HD-tyyppi: WUXGA, Enimmäiserottelutarkkuus: 1920 x 1200 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: musta, Harmaa, Telineen kapasiteetti: 1U, Kotelon materiaali: Metall. Voimanlähde: AC, Tulojännite: 100 - 240 V, AC-syöttötaajuus: 50 / 60 Hz

| Ports & interfaces | | Power | |
|-----------------------------------|---|-------------------------------------|-------------|
| Number of computers controlled * | 24 | Input voltage | 100 - 240 V |
| Keyboard port type * | USB, PS/2 | AC input frequency | 50 / 60 Hz |
| Mouse port type * | USB, PS/2 | Input current | 1 A |
| Video port type * | DVI-I | External power adapter | ✗ |
| DVI-I ports quantity | 1 | System requirements | |
| Console ports * | DVI-I, USB A | Windows operating systems supported | ✓ |
| Console USB ports quantity | 2 | Linux operating systems supported | ✓ |
| USB hub | ✓ | Mac operating systems supported | ✓ |
| USB 2.0 Type-A hub ports quantity | 3 | Sustainability | |
| USB connector type | USB Type-A | Compliance certificates | RoHS |
| Audio connections | ✓ | Operational conditions | |
| DC-in jack | ✗ | Operating temperature (T-T) | 0 - 40 °C |
| Network | | Storage temperature (T-T) | -20 - 60 °C |
| Ethernet LAN | ✓ | Operating relative humidity (H-H) | 0 - 80% |
| Ethernet LAN (RJ-45) ports | 26 | Weight & dimensions | |
| Cabling technology | 10/100/1000Base-T(X) | Width | 433.6 mm |
| Networking standards | IEEE 802.3, IEEE 802.3ab, IEEE 802.3u | Depth | 412.1 mm |
| Security algorithms | 3DES, 128-bit RC4, 256-bit AES, DES, FIPS 140-2 | Height | 44 mm |
| Performance | | Weight | 6.21 kg |
| HD type * | WUXGA | Packaging data | |
| Maximum resolution * | 1920 x 1200 pixels | Package width | 506 mm |
| Video bandwidth | 60 Hz | Package depth | 575 mm |
| Data transfer rate (max) | 1000 Gbit/s | Package height | 130 mm |
| Scan interval | 1,255 s | Package weight | 7.42 kg |
| Number of users | 64 user(s) | Packaging content | |
| Firmware upgradeable | ✓ | Cables included | AC |
| Design | | Manual | ✓ |
| Rack mounting * | ✓ | Logistics data | |
| Rack capacity | 1U | Master (outer) case net weight | 6.21 kg |
| Product colour * | Black, Grey | Harmonized System (HS) code | 85176200 |
| Housing material | Metal | Master (outer) case width | 506 mm |

| Design | | Logistics data | |
|---------------------|----|----------------------------------|---------|
| Wired remote switch | ✓ | Master (outer) case length | 575 mm |
| Cascadable | ✓ | Master (outer) case height | 130 mm |
| LED indicators | ✓ | Master (outer) case gross weight | 7.42 kg |
| Push button | ✓ | Products per master (outer) case | 1 pc(s) |
| Hot keys | ✓ | | |
| Display | | | |
| Built-in display * | ✗ | | |
| Power | | | |
| Power source | AC | | |



4719264644122

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.