



## ATEN VE607-AT-G AV-signaalin jatkaja AV-lähetin ja -vastaanotin Valkoinen

**Tuotemerkki :** ATEN

**Tuotekoodi:** VE607-AT-G

**Tuotteen nimi :** VE607-AT-G



ATEN VE607-AT-G. Malli: AV-lähetin ja -vastaanotin, Enimmäiserottelutarkkuus: 1920 x 1200 pikseliä, Tuetut kaapelityypit: Cat5e, Cat6. Yhteysteknologia: Langallinen. Käyttöjännite (lähetin): 9 V, Käyttöjännite (vastaanotin): 9 V, Tehonkulutus (lähetin) (max): 1,35 W. Paino: 446 g, Vastaanottimen mitat (L x S x K): 44,4 x 68,5 x 43,4 mm, Vastaanottimen paino: 180 g. Lukumäärä per pakkaus: 2 kpl, Pakkauksen leveys: 59 mm, Pakkauksen syvyys: 239 mm



Features		Power	
Type *	AV transmitter & receiver	Power consumption (transmitter) (max)	1.35 W
Maximum resolution *	1920 x 1200 pixels	Power consumption (receiver) (max)	0.81 W
Cable types supported	Cat5e, Cat6	External power adapter	✓
Maximum transfer distance	60 m	<b>Operational conditions</b>	
Audio system	stereo	Operating temperature (T-T)	0 - 50 °C
Electrostatic Discharge (ESD) protection	15 kV	Storage temperature (T-T)	-20 - 60 °C
LED indicators	✓	Operating relative humidity (H-H)	0 - 80%
Supported video modes	1080p	<b>Weight &amp; dimensions</b>	
Supported graphics resolutions	1280 x 1024 (SXGA), 1920 x 1200 (WUXGA)	Weight	446 g
Bandwidth	6.75 Gbit/s	Receiver dimensions (WxDxH)	44.4 x 68.5 x 43.4 mm
Bandwidth	225 MHz	Receiver weight	180 g
Resolution	1920 x 1200 pixels	Transmitter dimensions (WxDxH)	44.4 x 68.5 x 43.4 mm
HDCP	✓	Transmitter weight	180 g
Material	Metal	<b>Packaging data</b>	
Plug and Play	✓	Quantity per pack	2 pc(s)
Impedance	100 Ω	Package width	59 mm
Product colour	White	Package depth	239 mm
<b>Ports &amp; interfaces</b>		Package height	160 mm
Connectivity technology *	Wired	Package weight	606 g
Ethernet LAN	✓	<b>Packaging content</b>	
RJ-45 input ports	2	AC adapter included	✓
RJ-45 output ports	2	Manual	✓
DVI input ports	1	<b>Technical details</b>	
DVI output ports	1	Compliance certificates	RoHS
Video in	1	<b>Logistics data</b>	
Video out	1	Master (outer) case width	250 mm
Audio input	1	Master (outer) case length	325 mm
Audio output	1	Master (outer) case height	175 mm
DC-in jack	✓	Master (outer) case gross weight	3.45 kg
<b>Power</b>		Master (outer) case net weight	2.23 kg
Operating voltage (transmitter)	9 V	Products per master (outer) case	5 pc(s)
Operating voltage (receiver)	9 V		



4719264645709

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date