



D-Link DWL-6610AP wireless access point 1200 Mbit/s Power over Ethernet (PoE)

Brand : D-Link

Product code: DWL-6610AP

Product name : DWL-6610AP

802.11b/g/n/ac, 2.4 / 5 GHz, 1 x Gigabit Ethernet RJ-45, PoE+

[D-Link DWL-6610AP wireless access point 1200 Mbit/s Power over Ethernet \(PoE\):](#)

Next Generation Connectivity

Harness the power of Wireless AC and take advantage of combined wireless speeds of up to 1200 Mbps, perfect for high demand business applications

Enhanced Level of Performance

Experience faster and stable performance as well greater coverage with beamforming, and better managed traffic with band steering

Unparalleled Flexibility and Scalability

Used as a standalone wireless access point, self-configuring cluster or managed centrally via a D-Link Wireless Controller or Unified Switch

D-Link DWL-6610AP. 2.4 GHz, 5 GHz, Maximum data transfer rate: 1200 Mbit/s. Security algorithms: AES, HTTPS, SSH, TKIP, WPA, WPA2. Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE), Power consumption (max): 16.6 W



Features		Technical details	
2.4 GHz *	✓	Products per shipping (inner) case	6 pc(s)
5 GHz *	✓	Pallet gross weight (air)	200.6 kg
Maximum data transfer rate *	1200 Mbit/s	Master (outer) cases per pallet (air)	24 pc(s)
Ethernet LAN data rates	10,100,1000 Mbit/s	Products per pallet (air)	144 pc(s)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3u	Pallet gross length	110 cm
		Pallet gross width	120 cm
VLAN support	✓	Pallet height (air)	123.5 cm
Quality of Service (QoS) support	✓	Pallet gross weight (sea)	332.5 kg
Security		Master (outer) cases per pallet (sea)	42 pc(s)
Security algorithms *	AES, HTTPS, SSH, TKIP, WPA, WPA2	Products per pallet (sea)	252 pc(s)
MAC address filtering	✓	Pallet height (sea)	2.06 m
Protocols		Shipping (inner) case gross weight	7.3 kg
Management protocols	SNMP	Certificates	
Management features		Certification	
Web-based management	✓	CE EN 301 893 V1.7.1 (2012-06) (DFS/TPC) EN 300 328 V1.8.1 (2012-06) FCC IC cUL LVD UL2043 C-Tick BSMI NCC	
Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	158.8 mm
DC-in jack	✓	Depth	158.8 mm
Power		Height	69.4 mm
Power over Ethernet (PoE) *	✓	Weight	500 g
Output voltage	12 V	Packaging data	
Output current	2 A	Package width	243 mm
Power consumption (max)	16.6 W	Package depth	235 mm
Design		Package height	90 mm
Housing material	Plastic	Package weight	1.06 kg
		Operational conditions	
		Operating relative humidity (H-H)	10 - 90%
		Operating temperature (T-T)	0 - 40 °C

Design		Operational conditions	
On/off switch	✓	Storage temperature (T-T)	-20 - 65 °C
Reset button	✓	Logistics data	
Antenna		Harmonized System (HS) code	85176990
Antenna gain level (max)	6.5 dBi		
Technical details			
Shipping (inner) case length	56.5 cm		
Shipping (inner) case width	34.3 cm		
Shipping (inner) case height	27.5 cm		
Shipping (inner) case net weight	6.39 kg		



0790069416842



790069416842



0790069416835



790069416835



0790069416828



790069416828

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.