D-Link

D-Link DUB-H7 USB 2.0 Type-B 480 Mbit/s musta

Tuotemerkki : D-Link

Tuotekoodi: DUB-H7/E

Tuotteen nimi : DUB-H7

D-Link DUB-H7. Isäntäkoneen käyttöliittymä: USB 2.0 Type-B, Liittimiä: USB 2.0. Tiedonsiirtonopeus: 480 Mbit/s, Tuotteen väri: musta, Sertifiointi: FCC, CE, C-Tick, VCCI, IC, RoHS. Tulojännite: 5 DC, Syöttöjännite: 3 DC, Ulostulojännite: 5 V. Windows-käyttöjärjestelmätuki: Windows 10, Windows 7, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium,..., Mac-käyttöjärjestelmätuki: Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14.... Tuotteen leveys: 57 mm, Tuotteen syvyys: 99 mm, Tuotteen korkeus: 25 mm

Ports & interfaces

Host interface *	USB 2.0 Type-B
Hub interfaces *	USB 2.0
USB 2.0 ports quantity	7
Ports quantity *	7

Features

Data transfer rate *	480 Mbit/s
Product colour	Black
LED indicators	✔
Plug and Play	✔
Certification	FCC, CE, C-Tick, VCCI, IC, RoHS

Power

Input voltage	5 DC
Input current	3 DC
Output voltage	5 V
Output current	2.4 A

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64

Packaging data

Package weight	477.5 g

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 95%

Logistics data

Pallet gross weight (air)	208.8 kg
Master (outer) cases per pallet (air)	36 pc(s)
Products per pallet (air)	360 pc(s)
Pallet height (air)	114 cm
Pallet gross weight (sea)	347.5 kg
Master (outer) cases per pallet (sea)	63 pc(s)
Products per pallet (sea)	630 pc(s)
Pallet height (sea)	193 cm
Pallet gross width	110 cm
Pallet gross length	120 cm
Shipping (inner) case width	31.4 cm
Shipping (inner) case length	36 cm
Harmonized System (HS) code	84719000
Shipping (inner) case height	25.3 cm
Shipping (inner) case gross weight	5.18 kg
Products per shipping (inner) case	10 pc(s)
Shipping (inner) case net weight	2.6 kg

System requirements

Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Linux operating systems supported	✔

Weight & dimensions

Width	57 mm
Depth	99 mm
Height	25 mm
Weight	85 g

Packaging data

Package width	150 mm
Package depth	225 mm
Package height	68 mm

8032976048610

7900692523890

0790069252419

790069252419

5711045051418

0840356736006

840356736006

2001003413000

0790069252389

790069252389

9154403168407

0790069252372

790069252372