



D-Link GO-SW-8G/E verkkokytkin Hallitsematon Gigabit Ethernet (10/100/1000) Valkoinen

Tuotemerkki : D-Link

Tuotekoodi: GO-SW-8G/E

Tuotteen nimi : GO-SW-8G/E

D-Link GO-SW-8G/E. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Virtaliitin: DC-tulo jakkiliitin



Management features		Operational conditions	
Switch type *	Unmanaged	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-10 - 70 °C
Basic switching RJ-45 Ethernet ports quantity *	8	Operating relative humidity (H-H)	10 - 90%
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage relative humidity (H-H)	5 - 90%
Gigabit Ethernet (copper) ports quantity	8	Weight & dimensions	
Power connector	DC-in jack	Width	128 mm
Network		Depth	68.5 mm
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Height	25.4 mm
10G support *	✗	Weight	195 g
Copper ethernet cabling technology	1000BASE-T, 100BASE-TX, 10BASE-T	Packaging content	
Full duplex	✓	User guide	✓
Flow control support	✓	Packaging data	
Auto MDI/MDI-X	✓	AC adapter included	✓
MAC address auto-learning supported	✓	Package width	104 mm
Data transmission		Package depth	158 mm
Switching capacity *	16 Gbit/s	Package height	94 mm
MAC address table *	8000 entries	Package weight	281 g
Store-and-forward	✓	Technical details	
Jumbo frames support	✓	Shipping (inner) case height	19.3 cm
Jumbo frames	9216	Shipping (inner) case width	23 cm
Packet forwarding rate (1 Gbps)	1488000 pps	Shipping (inner) case length	49.8 cm
Packet forwarding rate (100 Mbps)	148800 pps	Shipping (inner) case net weight	1.95 kg
Packet forwarding rate (10 Mbps)	14880 pps	Products per shipping (inner) case	10 pc(s)
Protocols		Pallet gross weight (air)	348.5 kg
Supported network protocols	CSMA/CD	Master (outer) cases per pallet (air)	100 pc(s)
Design		Products per pallet (air)	1000 pc(s)
Rack mounting *	✗	Pallet gross length	110 cm
Product colour	White	Pallet gross width	120 cm
LED indicators	✓	Pallet height (air)	2.06 m
		Pallet gross weight (sea)	348.5 kg
		Master (outer) cases per pallet (sea)	100 pc(s)
		Products per pallet (sea)	1000 pc(s)
		Pallet height (sea)	2.06 m
		Shipping (inner) case gross weight	3.3 kg

Performance		Certificates	
Buffer size	128 KB	Certification	FCC cUL/UL ICES-003 CCC CE Anatel
Mean time between failures (MTBF)	412433 h		C-Tick LVD VCCI
Power		Logistics data	
Output voltage	5 V	Harmonized System (HS) code	85176990
Output current	1 A		



7900693656900



0790069365690



790069365690



4052305795910

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.