

# D-Link DGS-1026MP verkkokytkin Hallitsematon Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta, Harmaa

**Tuotemerkki :** D-Link

**Tuotekoodi:** DGS-1026MP

**Tuotteen nimi :** DGS-1026MP

D-Link DGS-1026MP. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24. MAC-osoitetaulukko: 8192 entries, Kytkentäkapasiteetti: 52 Gbit/s. Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE.... Power over Ethernet -tuki. Telineasennus



<b>Management features</b>		<b>Operational conditions</b>	
Switch type *	Unmanaged	Operating temperature (T-T)	0 - 50 °C
<b>Ports &amp; interfaces</b>		Storage temperature (T-T)	-40 - 70 °C
Basic switching RJ-45 Ethernet ports quantity *	24	Operating relative humidity (H-H)	10 - 90%
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage relative humidity (H-H)	5 - 90%
Combo SFP ports quantity	2	Heat dissipation	1515 BTU/h
<b>Network</b>		<b>Weight &amp; dimensions</b>	
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Width	440 mm
10G support *	✗	Depth	250.4 mm
Auto MDI/MDI-X	✓	Height	44 mm
<b>Data transmission</b>		Weight	3.1 kg
Switching capacity *	52 Gbit/s	<b>Packaging data</b>	
Throughput	38.69 Mpps	Package width	388 mm
Forwarding rate	38.69 Mpps	Package depth	506 mm
MAC address table *	8192 entries	Package height	90 mm
Store-and-forward	✓	Package weight	3.7 kg
Packet buffer memory	0.512 MB	<b>Technical details</b>	
<b>Design</b>		Shipping (inner) case height	41 cm
Rack mounting *	✓	Shipping (inner) case width	20.5 cm
Product colour	Black, Grey	Shipping (inner) case length	52 cm
LED indicators	Activity, Link, PoE, Power, Power fail, Speed	Shipping (inner) case net weight	8.39 kg
Number of fans	2 fan(s)	Products per shipping (inner) case	2 pc(s)
Safety	UL/CSA 60950-1, EN 60950-1, IEC 60950-1	Pallet gross weight (air)	281.8 kg
<b>Performance</b>		Master (outer) cases per pallet (air)	30 pc(s)
Buffer size	512 KB	Products per pallet (air)	60 pc(s)
Mean time between failures (MTBF)	205975 h	Pallet gross length	110 cm
<b>Power</b>		Pallet gross width	120 cm
Power source *	AC	Pallet height (air)	136.5 cm
Power supply included *	✓	Pallet gross weight (sea)	369.8 kg
AC input voltage	100 - 240 V	Master (outer) cases per pallet (sea)	40 pc(s)
<b>Certificates</b>		Products per pallet (sea)	80 pc(s)
		Pallet height (sea)	177.5 cm
		Shipping (inner) case gross weight	8.79 kg
		<b>Compliance certificates</b>	
		BSMI, CCC, CE, Federal Communications Commission (FCC), RCM, RoHS, VCCI	

Power		Certificates	
AC input frequency	50/60 Hz	Certification	FCC Class A CE CCC RoHS VCCI
Power consumption (max)	444.1 W		BSMI RCM
Power over Ethernet (PoE)		Logistics data	
Power over Ethernet (PoE) *	✓	Harmonized System (HS) code	85176990
Power over Ethernet plus (PoE+) ports quantity	24		
Power over Ethernet (PoE) power per port	30 W		
Total Power over Ethernet (PoE) budget	370 W		



0790069426667



790069426667



5706998941220

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.