



## APC SMC1000I-2UC UPS-virtalähde Linjainteraktiivinen 1 kVA 600 W 4 AC-pistorasia(a)



**Tuotemerkki :** APC

**Tuotekoodi:** SMC1000I-2UC

**Tuotteen nimi :** SMC1000I-2UC

APC SMC1000I-2UC. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 1 kVA, Lähtöteho: 600 W. Pistorasian tyypit: C13 liitin, Virtapistoke: C14 liitin, Ulostulojen määrä: 4 AC-pistorasia(a).

Akkuteknologia: Sealed Lead Acid (VRLA), Akun kestoikä (maks.): 6 vuosi/vuosia, Akun latausaika: 3 h.

Kotelo: Telineasennettava, Tuotteen väri: musta, Telineen kapasiteetti: 2U.

Vaatimustenmukaisuustodistukset: RoHS, Sertifointi: CSA, CSA C22.2 No. 107.1, FCC Part 15 Class B, ICES-003, UL 1778, REACH

Features		Design	
UPS topology *	Line-Interactive	Form factor *	Rackmount
Output power capacity *	1 kVA	Rack capacity	2U
Output power *	600 W	Cable length	2.44 m
Waveform *	Sine	Product colour *	Black
Input operation voltage (min) *	170 V	Display type	LCD
Input operation voltage (max) *	300 V		
Input frequency *	50/60 Hz		
Output operation voltage (min)	220 V		
Output operation voltage (max)	240 V		
Output frequency	50/60 Hz		
Automatic Voltage Regulation (AVR)	✓		
Surge energy rating	680 J		
Output voltage Total Harmonic Distortion (THD)	5%		
Noise level	41 dB		
Surge protection	✓		
Audible alarm(s)	✓		
Audible alarm modes	Alarm when on battery, Low battery alarm, Overload alarm		
Ports & interfaces		Operational conditions	
AC outlet types	C13 coupler	Operating temperature (T-T)	0 - 40 °C
Power plug	C14 coupler	Storage temperature (T-T)	-15 - 45 °C
AC outlets quantity	4 AC outlet(s)	Operating relative humidity (H-H)	0 - 95%
USB port	✓	Storage relative humidity (H-H)	0 - 95%
USB 2.0 ports quantity	1	Operating altitude	0 - 3000 m
Serial interface	✓	Non-operating altitude	0 - 15000 m
Serial interface type	RS-232		
Ethernet LAN (RJ-45) ports	1		
SmartSlot	✓		
Battery		Certificates	
Battery technology	Sealed Lead Acid (VRLA)	Compliance certificates	RoHS
Number of batteries supported	1	Certification	CSA, CSA C22.2 No. 107.1, FCC Part 15 Class B, ICES-003, UL 1778, REACH
Battery life (max)	6 year(s)		
Battery recharge time	3 h		
Replacement battery cartridge	APCRBC124		
		Packaging content	
		Rack mount kit	✓
		Cables included	RJ-45, RS-232
		Sustainability	
		Sustainability certificates	ENERGY STAR, Green Premium
		Weight & dimensions	
		Width	432 mm
		Depth	406 mm
		Height	86 mm
		Weight	20.5 kg
		Packaging data	
		Resource CD	✓
		Software CD	✓
		Package width	535 mm
		Package depth	570 mm
		Package height	235 mm
		Package weight	20.7 kg
		Logistics data	
		Products per pallet	16 pc(s)
		Harmonized System (HS) code	85078000
		Total carbon footprint (kg of CO2e)	945.86



0731304332930



731304332930

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.