



D-Link DIS-300G-12SW Hallittu L2 Gigabit Ethernet (10/100/1000) musta

Tuotemerkki : D-Link

Tuotekoodi: DIS-300G-12SW

Tuotteen nimi : DIS-300G-12SW

D-Link DIS-300G-12SW. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries. Verkko-standardit: IEEE 802.1D, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE.... DC-syöttöjännite: 12 - 58 V. Seinäkiinnitteinen



Management features		Performance	
Switch type *	Managed	Firmware upgradeable	✓
Switch layer	L2	Power	
Quality of Service (QoS) support	✓	DC input voltage	12 - 58 V
Web-based management	✓	Power consumption (max)	17 W
Traffic shaping	✓	Power protection features	Over current, Reverse polarity
System event log	✓	Power over Ethernet (PoE)	
MIB support	RFC 1757 RMON 1,2,3,9; RFC 2674 Q MIB RFC-1213 MIB-II; RFC-1493 MIB; RFC 2233 IF MIB	Power over Ethernet (PoE) *	✗
Ports & interfaces		Operational conditions	
Basic switching RJ-45 Ethernet ports quantity *	8	Operating temperature (T-T)	-40 - 75 °C
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage temperature (T-T)	-40 - 85 °C
SFP module slots quantity	4	Operating relative humidity (H-H)	5 - 95%
Fiber optic connector	LC	Weight & dimensions	
Network		Width	61 mm
Networking standards *	IEEE 802.1D, IEEE 802.1ab, IEEE 802.1ad, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x	Depth	154 mm
10G support *	✗	Height	109 mm
Full duplex	✓	Weight	1.09 kg
Flow control support	✓	Packaging data	
Link aggregation	✓	Package width	195 mm
Broadcast storm control	✓	Package depth	242 mm
Auto MDI/MDI-X	✓	Package height	118 mm
Spanning tree protocol	✓	Package weight	1.53 kg
Auto-negotiation	✓	Technical details	
		Shipping (inner) case height	27 cm
		Shipping (inner) case width	41 cm
		Shipping (inner) case length	60 cm
		Shipping (inner) case net weight	15.3 kg
		Products per shipping (inner) case	10 pc(s)

Network		Technical details	
VLAN support	✓	Pallet gross weight (air)	346.7 kg
Virtual LAN features	Tagged VLAN, Protocol-based VLAN, Port-based VLAN	Master (outer) cases per pallet (air)	20 pc(s)
Number of VLANs	1024	Products per pallet (air)	200 pc(s)
Data transmission		Pallet gross length	120 cm
MAC address table *	8000 entries	Pallet gross width	110 cm
Store-and-forward	✓	Pallet height (air)	148.5 cm
Jumbo frames support	✓	Pallet gross weight (sea)	478.6 kg
Jumbo frames	9000	Master (outer) cases per pallet (sea)	28 pc(s)
Security		Products per pallet (sea)	280 pc(s)
DHCP features	DHCP server, DHCP snooping, DHCP relay, DHCP client	Pallet height (sea)	2.02 m
Security algorithms	HTTPS, SNMP, SNMPv3, SSH	Shipping (inner) case gross weight	16.5 kg
Authentication type	IEEE 802.1x, RADIUS	Certificates	
Queue scheduling algorithms	Weighted Round Robin (WRR)	Certification	IEC60068-2-6, IEC60068-2-27, IEC60068-2-32, UL 60950-1, CE, FCC, RoHS, WEEE
Multicast features		Logistics data	
Multicast support	✓	Harmonized System (HS) code	85176990
Design			
Rack mounting *	✗		
Product colour	Black		
LED indicators	LAN, Status		
International Protection (IP) code	IP30		
Wall mountable	✓		
DIN rail mounting	✓		
Electromagnetic compatibility	FCC 15, EN 61000-6-2, EN 61000-6-4, EN 61000-4-2, -3, -4, -5, -6		



0790069437915



790069437915

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.