
## D-Link

## D-Link DWL-6620APS WLAN-tukiasema 1300 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link Tuotekoodi: DWL-6620APS

Tuotteen nimi: DWL-6620APS







Features		Technical details	
2.4 GHz * 5 GHz * Maximum data transfer rate * Ethernet LAN data rates Frequency band Networking standards Channels quantity VLAN support Wireless isolation	1300 Mbit/s 10,100,1000 Mbit/s 2.4 - 2.4835; 5.15 - 5.85 GHz IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1Q, IEEE 802.3at 165 channels	Products per shipping (inner) case Pallet gross weight (air) Master (outer) cases per pallet (air) Products per pallet (air) Pallet gross length Pallet gross width Pallet height (air) Pallet gross weight (sea) Master (outer) cases per pallet (sea) Products per pallet (sea) Pallet height (sea) Shipping (inner) case gross weight	144 pc(s) 110 cm 120 cm 123.5 cm 366.2 kg
Security		Certificates	0.1 Kg
Security algorithms *  MAC address filtering  Number of SSID supported  Management features	AES, TKIP, WPA-Enterprise, WPA2- Enterprise ✓ 32	Certification	CE, EN55032, EN55024, EN61000-3-2, EN61000-3-3, EN60601-1-2, EN301489-1, EN301489-17, EN300328, EN301893, FCC, IC, cUL+UL, LVD, RCM, NCC, BSMI, UL2043
Web-based management	✓	Weight & dimensions	
Ports & interfaces  Ethernet LAN (RJ-45) ports *  DC-in jack  Power	2	Width Depth Height Weight	220 mm 220 mm 55.5 mm 614 g
Power over Ethernet (PoE) *	<b>✓</b>	Packaging data	
Output voltage Output current Power consumption (max)	12 V 2 A 16.32 W	Package width Package depth Package height	243 mm 235 mm 90 mm
Design		Package weight	1.2 kg
Product colour * Housing material On/off switch	White Plastic ✓	Operational conditions Operating relative humidity (H-H) Operating temperature (T-T)	10 - 90% 0 - 40 °C

Design		Operational conditions	
Reset button	✓	Storage temperature (T-T)	-20 - 65 °C
Internal	×	Storage relative humidity (H-H)	5 - 95%
Antenna		Logistics data	
Antennas quantity	2	Harmonized System (HS) code	85176990
Technical details			
Shipping (inner) case length	56.5 cm		
Shipping (inner) case width	34.3 cm		
Shipping (inner) case height	27.5 cm		
Shipping (inner) case net weight	7.19 kg		













Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.