



APC Smart-UPS UPS-virtalähde Linjainteraktiivinen 0,45 kVA 280 W 4 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: SC450RM1U

Tuotteen nimi : Smart-UPS




APC Smart-UPS. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 0,45 kVA, Lähtöteho: 280 W. Pistorasian tyypit: C13 liitin, Virtapistoke: C14 liitin, Ulostulojen määrä: 4 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 108 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 5,9 min. Kotelo: Telineasennettava/Torni, Tuotteen väri: Harmaa, Telineen kapasiteetti: 1U. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: C-tick, CE, GOST, VDE, PEP, EOL



Features		Design	
UPS topology *	Line-Interactive	Form factor *	Rackmount/Tower
Output power capacity *	0.45 kVA	Rack capacity	1U
Output power *	280 W	Product colour *	Grey
Waveform *	Sine	LED indicators	Battery replacement
Input operation voltage (min) *	151 V	Operational conditions	
Input operation voltage (max) *	302 V	Operating temperature (T-T)	0 - 40 °C
Input frequency *	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Automatic Voltage Regulation (AVR)	✓	Operating relative humidity (H-H)	0 - 95%
Surge energy rating	320 J	Storage relative humidity (H-H)	0 - 95%
Hold time (min)	4 ms	Operating altitude	0 - 3000 m
Hold time (max)	8 ms	Non-operating altitude	0 - 15000 m
Noise level	38 dB	Certificates	
Surge protection	✓	Compliance certificates	RoHS
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network	Certification	C-tick, CE, GOST, VDE, PEP, EOL
Audible alarm(s)	✓	Packaging content	
Audible alarm modes	Low battery alarm, Overload alarm	Rack mount kit	✓
Auto-restart	✓	Cables included	RS-232
Ports & interfaces		Manual	✓
AC outlet types	C13 coupler	Weight & dimensions	
Power plug	C14 coupler	Width	432 mm
AC outlets quantity	4 AC outlet(s)	Depth	383 mm
Number of output IEC jumpers	2	Height	44 mm
Serial interface	✓	Weight	10.2 kg
Serial interface type	RS-232	Packaging data	
Serial ports quantity	1	Software CD	✓
Battery		Package width	476 mm
Battery technology	Sealed Lead Acid (VRLA)		


Battery		Packaging data	
Battery capacity	108 VAh	Package depth	589 mm
Typical backup time at full load	5.9 min	Package height	164 mm
Typical backup time at half load	19.4 min	Package weight	11.7 kg
Battery life (max)	5 year(s)	Logistics data	
Battery recharge time	5 h	Products per pallet	24 pc(s)
Hot-swap battery	✓	Harmonized System (HS) code	85078000
Automatic battery test	✓	Total carbon footprint (kg of CO2e)	484.92
		Other features	
		Nominal output voltage	230 V



0731304222712



731304222712



0731304222729



731304222729



0071090238727



071090238727

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.