



APC Smart-UPS UPS-virtalähde Linjainteraktiivinen 1,5 kVA 1000 W 4 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: SMT1500RMI1U

Tuotteen nimi : Smart-UPS




APC Smart-UPS. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 1,5 kVA, Lähtöteho: 1000 W. Pistorasian tyypit: C13 liitin, Virtapistoke: C14 liitin, Ulostulojen määrä: 4 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 293 VAh, Tyypillinen varmuuskopioaika täydellä kuormituksella: 4,8 min. Kotelo: Telineasennettava, Tuotteen väri: musta, Telineen kapasiteetti: 1U. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, RCM, VDE, REACH



Features		Design	
UPS topology *	Line-Interactive	Product colour *	Black
Output power capacity *	1.5 kVA	LED indicators	Status
Output power *	1000 W	Operational conditions	
Waveform *	Sine	Operating temperature (T-T)	0 - 40 °C
Input frequency *	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Output operation voltage (min)	220 V	Operating relative humidity (H-H)	0 - 95%
Output operation voltage (max)	240 V	Storage relative humidity (H-H)	0 - 95%
Automatic Voltage Regulation (AVR)	✓	Operating altitude	0 - 3000 m
Surge energy rating	540 J	Non-operating altitude	0 - 15000 m
Efficiency	98.7%	Certificates	
Noise level	46 dB	Compliance certificates	RoHS
Audible alarm(s)	✓	Certification	CE, EAC, EN/IEC 62040-1, EN/IEC 62040-2, RCM, VDE, REACH
Auto-restart	✓	Packaging content	
Ports & interfaces		Rack mount kit	✓
AC outlet types	C13 coupler	Cables included	RS-232, USB cable
Power plug	C14 coupler	Quick installation guide	✓
AC outlets quantity	4 AC outlet(s)	Sustainability	
Number of output IEC jumpers	2	Sustainability certificates	Green Premium
USB port	✓	Weight & dimensions	
Serial interface	✓	Width	432 mm
Serial interface type	RJ-45	Depth	665 mm
SmartSlot	✓	Height	44 mm
Battery		Weight	24.1 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
Battery capacity	293 VAh	Warranty card	✓
Typical backup time at full load	4.8 min		
Typical backup time at half load	16.6 min		

Battery		Packaging data	
Battery life (max)	5 year(s)	Software CD	✓
Battery recharge time	4 h	Package width	575 mm
Hot-swap battery	✓	Package depth	794 mm
Automatic battery test	✓	Package height	200 mm
Cold start	✓	Package weight	29.1 kg
Design		Logistics data	
Form factor *	Rackmount	Products per pallet	10 pc(s)
Rack capacity	1U	Harmonized System (HS) code	85078000
Cable length	2.44 m	Total carbon footprint (kg of CO2e)	1298.03
		Other features	
		Nominal output voltage	230 V
		Nominal input voltage	230 V



0731304299400



731304299400

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.