



## APC Smart-UPS On-Line UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 15 kVA 12000 W 8 AC-pistorasia(a)

**Tuotemerkki :** APC

**Tuotekoodi:** SURT15KRMXLI


**Tuotteen nimi :** Smart-UPS On-Line

APC Smart-UPS On-Line. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 15 kVA, Lähtöteho: 12000 W. Pistorasian tyypit: C19 liitin, Virtapistoke: Pääte, Ulostulojen määrä: 8 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun kapasiteetti: 3840 VAH, Tyypillinen varmuuskopioaika täydellä kuormituksella: 8,3 min. Kotelo: Telineasennettava/Torni, Tuotteen väri: musta, Telineen kapasiteetti: 12U. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: EN/IEC 62040-2, EN/IEC 62040-1-1, VDE, PEP, EOL



Features		Design	
UPS topology *	Double-conversion (Online)	Form factor *	Rackmount/Tower
Output power capacity *	15 kVA	Rack capacity	12U
Output power *	12000 W	Product colour *	Black
Waveform *	Sine	Display type	LCD
Input frequency *	40 - 70 Hz	LED indicators	✓
Output operation voltage (min)	220 V	<b>Operational conditions</b>	
Output operation voltage (max)	240 V	Operating temperature (T-T)	0 - 40 °C
Output frequency regulation	50/60 Hz	Storage temperature (T-T)	-15 - 45 °C
Maximum current	90 A	Operating relative humidity (H-H)	0 - 95%
Number of output phases	1	Storage relative humidity (H-H)	0 - 95%
Efficiency	95%	Operating altitude	0 - 3000 m
Crest factor	3:1	Non-operating altitude	0 - 15000 m
Emergency Power Off (EPO)	✓	<b>Certificates</b>	
Noise level	50 dB	Compliance certificates	RoHS
Surge protection	✓	Certification	EN/IEC 62040-2, EN/IEC 62040-1-1, VDE, PEP, EOL
Audible alarm(s)	✓	<b>Packaging content</b>	
Auto-restart	✓	Rack mount kit	✓
<b>Ports &amp; interfaces</b>		Cables included	RS-232
AC outlet types	C19 coupler	Manual	✓
Power plug	Terminal	<b>Weight &amp; dimensions</b>	
AC outlets quantity	8 AC outlet(s)	Width	432 mm
Number of output IEC jumpers	2	Depth	773 mm
Serial interface	✓	Height	533 mm
Serial interface type	RS-232	Weight	247.7 kg
Cabling technology	10/100Base-T		
SmartSlot	✓		

Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Software CD	✓
Battery capacity	3840 VAh	Package width	610 mm
Typical backup time at full load	8.3 min	Package depth	1003 mm
Typical backup time at half load	22.3 min	Package height	990 mm
Battery life (max)	5 year(s)	Package weight	314.1 kg
Battery recharge time	2.5 h	<b>Logistics data</b>	
Hot-swap battery	✓	Products per pallet	1 pc(s)
Automatic battery test	✓	Harmonized System (HS) code	85078000
Cold start	✓	Total carbon footprint (kg of CO2e)	29383.71
		<b>Other features</b>	
		Nominal output voltage	230 V
		Nominal input voltage	230 V



0731304255727



731304255727

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.