

## APC SUM3000RMXLI2U UPS-virtalähde 3 kVA 2850 W

Tuotemerkki : APC Tuotekoodi: SUM3000RMXLI2U

Tuotteen nimi: SUM3000RMXLI2U

APC SUM3000RMXLI2U. Kokonaislähtöteho (VA): 3 kVA, Lähtöteho: 2850 W, Energialuokka: 490 J. Tyypillinen varmuuskopioaika täydellä kuormituksella: 3,5 min, Tyypillinen varmuuskopioaika puolikkaalla kuormituksella: 11,9 min, Vaihtoakku: RBC43. Tuotteen väri: musta, Johdon pituus: 3 m. Paino: 47 kg. Niputettu ohjelmisto: CD with software



| Features  |                              | Operational conditions                                |   |
|---|------------------------------|---|---|
| Output power capacity * Output power * Surge energy rating                                      | 3 kVA<br>2850 W<br>490 J     | Storage relative humidity (H-H)<br>Operating altitude | 0 - 95%<br>0 - 3000 m                           |
|   |                              | Weight & dimensions                                   |   |
| Emergency Power Off (EPO)   | <b>✓</b>                     | Weight  | 47 kg   |
| Battery   |                              | Packaging data  |   |
| Typical backup time at full load Typical backup time at half load Replacement battery cartridge | 3.5 min<br>11.9 min<br>RBC43 | Bundled software                                      | CD with software                                |
|   |                              | Logistics data  |   |
| Design  |                              | Harmonized System (HS) code                           | 85078000  |
| Cable length  | 3 m                          | Other features  |   |
| Product colour *  | Black                        | I/O ports   | Pre-Installed SmartSlot Card -<br>AP9617        |
| Operational conditions  |                              | Battery type  | VRLA  |
| Operating temperature (T-T) Storage temperature (T-T)   | 0 - 40 °C<br>-20 - 45 °C     | Interface   | DB-9 RS-232, RJ-45 10/100 Base-T,<br>USB        |
| Operating relative humidity (H-H)   | 0 - 95%                      | Output connections                                    | (7) IEC 320 C13 (1) IEC 320 C19 (4) IEC Jumpers |
|   |                              | Input connection type                                 | IEC-320 C20                                     |
|   |                              | Dimensions (WxDxH)                                    | 430 x 680 x 90 mm                               |
|   |                              | Nominal output voltage                                | 230 V   |
|   |                              | Filtering description                                 | 0.3% IEEE/UL 1449                               |
|   |                              | Nominal input voltage                                 | 230 V   |
|   |                              | Networking features                                   | ✓   |





731304224570

0731304224570

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.