TP-Link TL-SG108E Hallittu L2 Gigabit Ethernet (10/100/1000) musta

Tuotemerkki : TP-Link   **Tuotekoodi:** TL-SG108E V5

Tuotteen nimi : TL-SG108E

TP-Link TL-SG108E. Kytkin tyyppi: Hallittu, Kytkinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. MAC-osoitetaulukko: 4000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x

Management features

Switch type *	Managed
Switch layer	L2
Quality of Service (QoS) support	✔
Web-based management	✔

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity *	8
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	8

Network

Networking standards *	IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x
10G support *	✘
Cable types supported	Cat3, Cat4, Cat5, Cat5e
Port mirroring	✔
Link aggregation	✔
Broadcast storm control	✔
Auto MDI/MDI-X	✔
Auto-negotiation	✔
VLAN support	✔
Virtual LAN features	Port-based VLAN
Number of VLANs	32

Data transmission

Switching capacity *	16 Gbit/s

Security

Loop protection	✔

Design

Product colour	Black
Housing material	Metal
LED indicators	✔

Performance

Plug and Play	✔

Power

Power source *	DC
Power supply included *	✔
Input current	0.6 A
Input voltage	9 V
Power consumption (max)	3.55 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Heat dissipation	12.12 BTU/h

Weight & dimensions

Width	158 mm
Depth	101 mm
Height	25 mm

Packaging content

Cables included	AC

Data transmission

Forwarding rate	11.9 Mpps
MAC address table *	4000 entries
Store-and-forward	✔
Jumbo frames support	✔
Jumbo frames	15000
Packet buffer memory	1.5 MB

Security

IGMP snooping	✔
Security algorithms	SNMP, SNMPv2, SNMPv3

Packaging content

User guide	✔

Packaging data

Package type	Box
Package width	130 mm
Package depth	191 mm
Package height	92 mm
Package weight	630 g

Certificates

Certification	FCC, CE, RoHS

0845973021856

845973021856

6935364021856

6935364021863