

TP-Link TL-SG1024DE Hallittu L2 Gigabit Ethernet (10/100/1000) 1U musta

Tuotemerkki : TP-Link Tuotekoodi: TL-SG1024DE V4

Tuotteen nimi : TL-SG1024DE







Management features		Design	
Switch type *	Managed	Rack mounting *	✓
Switch layer	L2	Form factor	10
Quality of Service (QoS) support	✓	Product colour	Black
Web-based management	✓	LED indicators	1
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *		Compatible operating systems	Windows 98SE, NT, 2000, XP, Vista, Windows 7, Windows 8, MAC OS, NetWare, UNIX, Linux
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Gigabit Ethernet (copper) ports	24	Power source *	AC
quantity	2-7	Power source * Power supply included *	AC
Network		AC input voltage	100 - 240 V
Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	AC input frequency	50 - 60 Hz
		Power consumption (max)	14.86 W
10G support *	x	Operational conditions	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Operating temperature (T-T)	0 - 40 °C
Cable types supported	Cat3, Cat5, Cat6	Storage temperature (T-T)	-40 - 70 °C 10 - 90%
Port mirroring	✓	Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 90%
Flow control support	✓	Heat dissipation	114.37 BTU/h
Link aggregation	✓	Weight & dimensions	2257.2.67
Broadcast storm control	✓	Width	294 mm
Rate limiting	✓	Depth	180 mm
Auto MDI/MDI-X	✓	Height	44 mm
Auto-negotiation	✓	Packaging content	
VLAN support	✓	Cables included	AC
Virtual LAN features	Port-based VLAN, Tagged VLAN	User guide	AC ✓
Number of VLANs	32	Rack mount kit	*
Data transmission			v
Switching capacity *	48 Gbit/s	Packaging data	
Forwarding rate	35.7 Mpps	Package type	Box
-		Package width	250 mm

Data transmission		Packaging data	
MAC address table *	8000 entries	Package depth	400 mm
Number of queues	4	Package height	80 mm
Jumbo frames support	✓	Package weight	2.02 kg
Jumbo frames	9216	Certificates	
Packet buffer memory	0.512 MB	Certification	FCC, CE, RoHS
Security		Logistics data	
IGMP snooping	✓	Harmonized System (HS) code	85176990
Loop protection	✓		











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.