



TP-Link TL-SG1024D Hallitsematon Gigabit Ethernet (10/100/1000) Harmaa

Tuotemerkki : TP-Link

Tuotekoodi: TL-SG1024D V6



Tuotteen nimi : TL-SG1024D

TP-Link TL-SG1024D. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 24. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 48 Gbit/s. Verkkostandardit: IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Virtaliitin: DC-tulo jakkiliitin. Telineasennus



Management features		Power	
Switch type *	Unmanaged	AC input voltage	100 - 240 V
Quality of Service (QoS) support	✓	AC input frequency	50 - 60 Hz
Ports & interfaces		Power consumption (max)	13.62 W
Basic switching RJ-45 Ethernet ports quantity *	24	Power over Ethernet (PoE)	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power over Ethernet (PoE) *	✗
Gigabit Ethernet (copper) ports quantity	24	Other features	
Power connector	DC-in jack	Dimensions (WxDxH)	294 x 180 x 44 mm
Network		Connectivity technology	Wired
Networking standards *	IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Bandwidth	48 Gbit/s
10G support *	✗	Power requirements	100 - 240V, 50/60Hz
Cable types supported	Cat3, Cat4, Cat5, Cat5e	Networking features	Gigabit Ethernet
Full duplex	✓	Connectivity LEDs	✓
Flow control support	✓	Operational conditions	
Auto MDI/MDI-X	✓	Operating temperature (T-T)	0 - 40 °C
Auto-negotiation	✓	Storage temperature (T-T)	-40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Supported data transfer rates	10/100/100 Mbps	Storage relative humidity (H-H)	5 - 90%
Switching capacity *	48 Gbit/s	Operating temperature (T-T)	32 - 104 °F
Forwarding rate	35.7 Mpps	Heat dissipation	46.44 BTU/h
MAC address table *	8000 entries	Weight & dimensions	
Store-and-forward	✓	Width	294 mm
Maximum data transfer rate	1 Gbit/s	Depth	180 mm
Jumbo frames support	✓	Height	44 mm
Jumbo frames	10000	Packaging content	
Protocols		Cables included	AC
Supported network protocols	CSMA/CD, TCP/IP	User guide	✓
		Rack mount kit	✓
		Packaging data	
		Package type	Box
		Package width	250 mm

Design		Packaging data	
Rack mounting *	✓	Package depth	400 mm
Stackable *	✓	Package height	80 mm
Product colour	Grey	Package weight	1.95 kg
LED indicators	✓	Certificates	
Power		Certification	FCC, CE, RoHS
Power source *	AC	Logistics data	
Power supply included *	✓	Harmonized System (HS) code	85176990



8459730206206



6935364020620

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.