



## TP-Link TL-MR6400 langaton reititin Nopea Ethernet Yksi kaista (2,4 GHz) 4G musta

**Tuotemerkki :** TP-Link

**Tuotekoodi:** TL-MR6400 V4

**Tuotteen nimi :** TL-MR6400

TP-Link TL-MR6400. WAN -liitintyyppi: RJ-45. Wi-Fi-taajuus: Yksi kaista (2,4 GHz), Wi-Fi-standardi: Wi-Fi 4 (802.11n), WLAN-tiedonsiirtonopeus (maks.): 300 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Nopea Ethernet, Ethernet LAN -datanopeudet: 10,100 Mbit/s, Kaapelitekniikka: 10/100Base-T(X). Mobiiliverkon sukupolvi: 4G, 2G standardit: Edge, GPRS, GSM, 3G-standardit: HSPA+, UMTS. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Palomuurisuojaus: DoS, SPI Firewall, IP and MAC Address Binding



<b>WAN connection</b>		<b>Protocols</b>	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM card slot *	✓	Universal Plug and Play (UPnP)	✓
3G/4G USB modem compatibility *	✗	Supported network protocols	IPv4, IPv6
WAN connection type	RJ-45	<b>Design</b>	
<b>Wireless LAN features</b>		Product colour	Black
Wi-Fi band *	Single-band (2.4 GHz)	Indication light	✓
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	LED indicators	✓
WLAN data transfer rate (max) *	300 Mbit/s	On/off switch	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Product type *	Tabletop router
<b>Network</b>		<b>Certificates</b>	
Ethernet LAN *	✓	Certification	CE, FCC, RoHS
Ethernet LAN interface type *	Fast Ethernet	<b>Packaging content</b>	
Ethernet LAN data rates	10,100 Mbit/s	Cables included	LAN (RJ-45)
Cabling technology	10/100Base-T(X)	AC adapter included	✓
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Quick installation guide	✓
Port forwarding	✓	Quick start guide	✓
Port triggering	✓	<b>Antenna</b>	
Dynamic DNS (DDNS)	✓	Antenna design *	Internal & external
Number of guest networks (2.4 GHz)	1	Antennas quantity	4
VPN server	PPTP VPN, IPSec VPN, OpenVPN	Detachable antenna(s)	✓
VPN Passthrough	✓	<b>Power</b>	
VPN support	PPTP, L2TP, IPSec	Power source type *	DC
<b>Mobile network</b>		Output voltage	12 V
Mobile network generation	4G	Output current	1 A
3G	✓	<b>Operational conditions</b>	
4G	✓	Operating temperature (T-T)	0 - 40 °C
2G standards	Edge, GPRS, GSM	Storage temperature (T-T)	-40 - 70 °C

<b>Mobile network</b>		<b>Operational conditions</b>	
3G standards	HSPA+, UMTS	Operating relative humidity (H-H)	10 - 90%
4G standard	LTE	Storage relative humidity (H-H)	5 - 90%
GSM bands supported	850,900,1800,1900 MHz	<b>System requirements</b>	
UMTS bands supported	900,2100 MHz	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
4G bands supported	800,900,1800,1900 MHz	Linux operating systems supported	✓
<b>Ports &amp; interfaces</b>		Mac operating systems supported	macOS
Ethernet LAN (RJ-45) ports *	4	<b>Weight &amp; dimensions</b>	
USB port *	✗	Width	202 mm
Memory card slot(s)	✗	Depth	141 mm
DC-in jack	✓	Height	33.5 mm
<b>Management features</b>		<b>Packaging data</b>	
Web-based management	✓	Package width	307 mm
Wi-Fi Multimedia (WMM)/(WME)	✓	Package depth	223 mm
Quality of Service (QoS) support	✓	Package height	70 mm
Reset button	✓	Package weight	600 g
WPS push button	✓	<b>Logistics data</b>	
<b>Security</b>		Harmonized System (HS) code	85176990
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	<b>Other features</b>	
Firewall	✓	Mobile network connection	✓
Firewall security	DoS, SPI Firewall, IP and MAC Address Binding	WLAN data transfer rates supported	11,54,300 Mbit/s
Guest access	✓	Bandwidth (first)	2.4 GHz
Access Control List (ACL)	✓	Supported WAN type	RJ-45 SIM
Stateful Packet Inspection (SPI)	✓	Frequency band	2.4 GHz
DoS attack prevention	✓	Rack mounting	✓
Parental control	✓	xDSL connection	✗
DMZ support	✓		
Network address translation (NAT)	✓		



6935364092771



6935364092764



6935364099923



6935364086848

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.