

D-Link DAP-2680 WLAN-tukiasema 1750 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DAP-2680

Tuotteen nimi : DAP-2680

D-Link DAP-2680. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1750 Mbit/s. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, SNMP, SNMPv3, SSH, SSID, SSL/TLS, WPA, WPA-Enterprise, WPA2,..... Power over Ethernet -tuki. Tuotteen väri: Valkoinen



Features		Technical details	
2.4 GHz *	✓	Pallet gross weight (air)	311.4 kg
5 GHz *	✓	Master (outer) cases per pallet (air)	48 pc(s)
6 GHz *	✗	Products per pallet (air)	240 pc(s)
Maximum data transfer rate *	1750 Mbit/s	Pallet gross length	110 cm
Frequency band	2.4 - 2.4835; 5.15 - 5.35; 5.47 - 5.85 GHz	Pallet gross width	120 cm
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u	Pallet height (air)	2.06 m
		Pallet gross weight (sea)	311.4 kg
		Master (outer) cases per pallet (sea)	48 pc(s)
Transmitting power	26.5 dBmW	Products per pallet (sea)	240 pc(s)
Security	64-bit WEP, 128-bit WEP, SNMP, SNMPv3, SSH, SSID, SSL/TLS, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise	Pallet height (sea)	2.06 m
		Shipping (inner) case gross weight	6.05 kg
Security algorithms *		Certificates	
MAC address filtering	✓	Certification	FCC, UL, CE, FCC, UL
Management features		Weight & dimensions	
Web-based management	✓	Width	190 mm
Ports & interfaces	Ethernet LAN (RJ-45) ports * 1	Depth	190 mm
		Height	44.8 mm
Power		Weight	580 g
Power over Ethernet (PoE) *	✓	Packaging data	
Output voltage	12 V	Package width	205 mm
Output current	2 A	Package depth	270 mm
Design	Placement * Table, Wall	Package height	112 mm
		Package weight	1.08 kg
Product colour *	White	Operational conditions	
		Operating relative humidity (H-H)	10 - 90%
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 65 °C
		Storage relative humidity (H-H)	5 - 95%

Design		Logistics data	
LED indicators	Power, Status	Harmonized System (HS) code	85176990
Internal	✘		
Antenna			
Antennas quantity	3		
Antenna gain level (max)	4.2 dBi		
Technical details			
Shipping (inner) case length	59.9 cm		
Shipping (inner) case width	29.3 cm		
Shipping (inner) case height	24 cm		
Shipping (inner) case net weight	3.44 kg		
Products per shipping (inner) case	5 pc(s)		



0790069438950



790069438950



0790069441493



790069441493



0790069438943



790069438943

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.