

## Epson TM-H6000V-216: P-USB, MICR, Black

**Tuotemerkki :** Epson

**Tuotekoodi:** C31CG62216

**Tuotteen nimi :** TM-H6000V-216: P-USB, MICR, Black

- Integroitu POS-tulostin: Kuittitulostus, lipuketulostus ja sekkien käsittely
- Parantaa tehokkuutta: Tulostusnopeus jopa 350 mm/s<sup>1</sup>, sekkien käsittely ja automaattinen leikkuri
- Joustavat liitännät: Sisäänrakennettu USB- ja Ethernet-liitäntä kaikissa malleissa
- Investointi tulevaisuuteen: ePOS-Print-tulostus, ePOS-Display-näyttö ja NFC
- Paljon vastinetta rahoille: Edulliset elinkaarikustannukset

TM-H6000V-216: P-USB, MICR, Black

Epson TM-H6000V-216: P-USB, MICR, Black. Tulostustekniikka: Thermal, Malli: Maksupäätetulostin, Suurin resoluutio: 180 x 180 DPI. Suurin rullan halkaisija: 8,3 cm. Yhteystekniologia: Langallinen & langaton, USB-liitin: USB Type-A / USB Type-B, Vakioliitännät: Ethernet, NFC, USB 1.1, USB 2.0. Äänenpainetaso (tulostus): 55 dB, Automaattisen leikkaajan kestävyys: 3 miljoonaa leikkausta, Alkuperämaa: Kiina. Tuotteen väri: musta



Printing		Operational conditions	
Maximum resolution	180 x 180 DPI	Storage relative humidity (H-H)	10 - 90%
Print speed	5.7 lps	Weight & dimensions	
Print speed	350 mm/sec	Width	186 mm
Character density	17.8 cpi	Depth	278 mm
Print technology *	Thermal	Height	181 mm
Type *	POS printer	Weight	4.4 kg
Paper handling		Packaging data	
Maximum roll diameter	8.3 cm	Quantity per pack	1 pc(s)
Ports & interfaces		Package width	295 mm
USB port *	✓	Package depth	382 mm
USB connector	USB Type-A / USB Type-B	Package height	293 mm
Connectivity technology *	Wired & Wireless	Package weight	5.5 kg
Near Field Communication (NFC)	✓	Packaging content	
Standard interfaces	Ethernet, NFC, USB 1.1, USB 2.0	AC adapter included	✓
Network		Logistics data	
Ethernet LAN *	✓	Pallet weight (UK)	0 g
Features		Harmonized System (HS) code	84433210
Sound pressure level (printing)	55 dB	Products per pallet	56 pc(s)
Cutter	✓	Products per pallet layer	8 pc(s)
Autocutter durability	3 million cuts	Pallet gross width	80 cm
Country of origin	China	Pallet gross length	120 cm
Design		Pallet gross height	2.18 m
Product colour *	Black	Pallet gross weight	0 g
		Products per pallet (UK)	70 pc(s)
		Products per pallet layer (UK)	10 pc(s)

Operational conditions		Logistics data	
Operating temperature (T-T)	5 - 45 °C	Pallet width (UK)	100 cm
Storage temperature (T-T)	-10 - 50 °C	Pallet length (UK)	120 cm
Operating relative humidity (H-H)	10 - 90%	Pallet height (UK)	2.18 m
		Other features	
		Buffer size	4 KB



8715946651156

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date