



## TP-Link TL-SG116 Hallitsematon Gigabit Ethernet (10/100/1000) musta

**Tuotemerkki :** TP-Link

**Tuotekoodi:** TL-SG116 V1

**Tuotteen nimi :** TL-SG116



TP-Link TL-SG116. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 16. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 32 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x

Management features		Performance	
Switch type *	Unmanaged	Plug and Play	✓
Quality of Service (QoS) support	✓		
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity *	16	Power source *	DC
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power supply included *	✓
Gigabit Ethernet (copper) ports quantity	16	Input current	1 A
Network		Input voltage	12 V
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Power consumption (max)	10 W
10G support *	✗	Power over Ethernet (PoE)	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power over Ethernet (PoE) *	✗
Full duplex	✓	Operational conditions	
Flow control support	✓	Operating temperature (T-T)	0 - 40 °C
Auto MDI/MDI-X	✓	Storage temperature (T-T)	-40 - 70 °C
Auto-negotiation	✓	Operating relative humidity (H-H)	10 - 90%
Data transmission		Storage relative humidity (H-H)	5 - 90%
Switching capacity *	32 Gbit/s	Heat dissipation	34.12 BTU/h
Forwarding rate	23.8 Mpps	Weight & dimensions	
MAC address table *	8000 entries	Width	286 mm
Store-and-forward	✓	Depth	111.7 mm
Jumbo frames support	✓	Height	25.4 mm
Jumbo frames	10000	Packaging content	
Packet buffer memory	4.1 MB	Quick start guide	✓
		Packaging data	
		AC adapter included	✓
		Package type	Box
		Rubber feet	✓

Security		Packaging data	
IGMP snooping	✓	Package width	170 mm
Design		Package depth	412 mm
Rack mounting *	✗	Package height	70 mm
Product colour	Black	Package weight	1.33 kg
Housing material	Steel	Certificates	
LED indicators	✓	Certification	CE, FCC ,RoHS
		Logistics data	
		Harmonized System (HS) code	85176990



6935364084325



6935364084332



0845973084325



845973084325

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.