

Lexmark CS820dte Väri 1200 x 1200 DPI A4

Tuotemerkki : Lexmark

Tuotekoodi: 21K0184

Tuotteen nimi : CS820dte

1200 x 1200 dpi, Quad Core 1.33 GHz, 1024 MB, 57 dBA, 71.7 kg, 800 W, USB, 655 x 558.8 x 522.4 mm
Lexmark CS820dte. Tulostustekniikka: Laser, Väri. Värikasettien määrä: 4, Suurin toimintajakso: 200000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4.
Tulostusnopeus (musta, normaaliaatu, A4/US Letter): 57 ppm, Kaksipuolinen tulostus. Verkkovalmius.
Tuotteen väri: musta, Valkoinen

Printing		Network	
Print resolution colour	2400 x 600 DPI	Supported network protocols (IPv6)	TCP/IP, TCP, UDP
Print speed (colour, normal quality, A4/US Letter)	57 ppm	Management protocols	HTTP, HTTPs (SSL / TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, telnet, Finger
Colour *	✓		
Print technology *	Laser		
Duplex printing *	✓		
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	57 ppm		
Time to first page (black, normal)	7 s		
Time to first page (colour, normal)	7 s		
Features		Performance	
Maximum duty cycle *	200000 pages per month	Internal memory *	1024 MB
Recommended duty cycle	2500 - 25000 pages per month	Maximum internal memory	3072 MB
Printing colours *	Black, Cyan, Magenta, Yellow	Built-in processor	✓
Number of print cartridges *	4	Processor frequency	1330 MHz
Page description languages *	PCL 5c, PCL 6, PPDS, PostScript 3	Sound pressure level (printing)	56 dB
		Sound pressure level (duplex printing)	57 dB
		Sound pressure level (quiet mode)	52 dB
Input & output capacity		Design	
Total number of input trays *	3	Product colour *	Black, White
Total input capacity *	1200 sheets	Built-in display *	✓
Total output capacity *	500 sheets	Display diagonal	10.9 cm (4.3")
Multi-Purpose tray	✓	Touchscreen	✓
Multi-Purpose tray input capacity	100 sheets	Control type	Touch
Maximum number of input trays	6		
Maximum input capacity	4500 sheets		
Maximum output capacity	500 sheets	Certification	ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT, Blue Angel (Blauer Engel)
Paper handling		Power	
Maximum ISO A-series paper size *	A4	Power consumption (printing) *	800 W
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Energy Star Typical Electricity Consumption (TEC)	3.3 kWh/week
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
ISO C-series sizes (C0...C9)	C4, C5		
Non-ISO print media sizes	Folio, Letter, Oficio, Statement, Universal		
JIS B-series sizes (B0...B9)	B5		
Paper tray media weight (imperial)	27.2 - 79.8 kg (60 - 176 lbs)		
Multi-Purpose Tray media weight (imperial)	27.2 - 79.8 kg (60 - 176 lbs)		
Ports & interfaces		System requirements	
USB 2.0 ports quantity	3	Windows operating systems supported	✓
Optional connectivity	Wireless LAN	Mac operating systems supported	✓
		Linux operating systems supported	✓
Network		Operational conditions	
Network ready	✓	Operating temperature (T-T)	10 - 32 °C
		Operating relative humidity (H-H)	15 - 80%
		Operating altitude	0 - 2896 m

Network		Sustainability	
Ethernet LAN *	✓	Sustainability certificates	Blue Angel, ENERGY STAR
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Width	558.8 mm
Security algorithms	802.1x RADIUS, LEAP, MD5, PEAP, SSL/TLS	Depth	522.4 mm
Supported network protocols (IPv4)	TCP/IP, TCP, UDP	Height	655 mm
		Weight	71.7 kg
		Packaging data	
		Package width	700 mm
		Package depth	760 mm
		Package weight	88.2 kg
		Other features	
		Power LED	✓
		Stand-by LED	✓



0734646616249



734646616249

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.