

Lexmark CX921de Colour 1200 x 1200 DPI A3

Brand : Lexmark

Product code: 32C0012

Product name : CX921de

Lexmark CX921de. Print technology: Laser, Colour. Maximum duty cycle: 150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 35 ppm, Duplex printing. Product colour: Black, Grey

Printing		Performance	
Print speed (colour, normal quality, A4/US Letter)	35 ppm	Built-in processor	✓
Colour *	✓	Processor frequency	1200 MHz
Print technology *	Laser	Processor cores	4
Duplex printing *	✓	Sound pressure level (printing)	51 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (duplex printing)	53 dB
Print speed (black, normal quality, A4/US Letter) *	35 ppm	Design	
Duplex print speed (black, normal quality, A4/US Letter)	35 ppm	Product colour *	Black, Grey
Time to first page (black, normal)	7 s	Built-in display *	✓
Time to first page (colour, normal)	7 s	Colour display	✓
Features		Display diagonal	10.9 cm (4.3")
Maximum duty cycle *	150000 pages per month	Touchscreen	✓
Recommended duty cycle	4000 - 20000 pages per month	Control type	Touch
Page description languages *	PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3, XPS	Certification	ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT Gold, Blue Angel (Blauer Engel)
Input & output capacity		Power	
Total number of input trays *	3	Power consumption (printing) *	575 W
Total input capacity *	1150 sheets	Power consumption (ready)	140 W
Total output capacity *	250 sheets	Energy Star Typical Electricity Consumption (TEC)	2.3 kWh/week
Paper input type	Paper tray	System requirements	
Maximum number of input trays	6	Windows operating systems supported	✓
Maximum input capacity	6650 sheets	Mac operating systems supported	✓
Maximum output capacity	3500 sheets	Linux operating systems supported	✓
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A3	Operating temperature (T-T)	10 - 40 °C
Paper tray media types *	Banner, Card stock, Envelopes, Labels, Plain paper	Operating relative humidity (H-H)	15 - 85%
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Operating altitude	0 - 2500 m
Non-ISO print media sizes	Executive, Folio, Letter, Oficio, Statement, Super Tabloid (media size), Universal, Legal	Sustainability	
JIS B-series sizes (B0...B9)	B4	Sustainability certificates	Blue Angel, ENERGY STAR
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Weight & dimensions	
Photo paper sizes (imperial)	4x6"	Width	615 mm
Paper tray media weight	60 - 256 g/m ²	Depth	693 mm
Ports & interfaces		Height	780 mm
Standard interfaces	Ethernet, USB 2.0	Weight	88.5 kg
USB connector	USB Type-A / USB Type-B		
Optional connectivity	Serial (RS-422), Wireless LAN		
Network			
Ethernet LAN *	✓		
Cabling technology	10/100/1000Base-T(X)		
Ethernet LAN data rates	10,100,1000 Mbit/s		

Network		Packaging data	
Security algorithms	HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SSL/TLS, TTLS	Package width	758 mm
Mobile printing technologies	Apple AirPrint	Package depth	911 mm
		Package height	1057 mm
		Package weight	103 kg
Performance			
Internal memory *	1024 MB		
Maximum internal memory	3072 MB		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date