

Lexmark CS622de Colour A4

Brand : Lexmark

Product code: 42C0091

Product name : CS622de

Lexmark CS622de. Print technology: Laser, Colour. Maximum duty cycle: 100000 pages per month. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 38 ppm, Duplex printing. Product colour: Grey, White

Printing		Performance	
Print resolution colour	2400 x 600 DPI	Processor cores	2
Print resolution black	1200 x 1200 DPI	Sound pressure level (printing)	51 dB
Print speed (colour, normal quality, A4/US Letter)	38 ppm	Sound pressure level (duplex printing)	53 dB
Colour *	✓	Design	
Print technology *	Laser	Market positioning *	Home & office
Duplex printing *	✓	Product colour *	Grey, White
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Built-in display *	✓
Duplex print speed (black, normal quality, A4/US Letter)	19 ppm	Colour display	✓
Duplex print speed (colour, normal quality, A4/US Letter)	19 ppm	Display diagonal	10.9 cm (4.3")
Time to first page (black, normal)	7 s	Touchscreen	✓
Time to first page (colour, normal)	7 s	Control type	Touch
Print margins (top, bottom, right, left)	4.2 mm	Certification	ENERGY STAR, Blue Angel RAL-UZ-171, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CE EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, UCRF, EC 1275
Features		Power	
Maximum duty cycle *	100000 pages per month	Power consumption (printing) *	570 W
Recommended duty cycle	1500 - 10000 pages per month	Power consumption (ready)	37 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (standby)	1.5 W
Page description languages *	Microsoft XPS, PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3	Power consumption (off)	0.2 W
Country of origin	China	Energy Star Typical Electricity Consumption (TEC)	1.6 kWh/week
Input & output capacity		System requirements	
Total number of input trays *	2	Windows operating systems supported	✓
Total input capacity *	251 sheets	Mac operating systems supported	✓
Total output capacity *	125 sheets	Linux operating systems supported	✓
Maximum number of input trays	5	Other operating systems supported	✓
Maximum input capacity	1451 sheets	Operational conditions	
Maximum output capacity	125 sheets	Operating temperature (T-T)	10 - 32 °C
Paper handling		Operating relative humidity (H-H)	8 - 80%
Maximum ISO A-series paper size *	A4	Operating altitude	0 - 3048 m
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Sustainability	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Sustainability certificates	ENERGY STAR
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Weight & dimensions	
JIS B-series sizes (B0...B9)	B5	Width	442 mm
Envelopes sizes	7 3/4, 9, 10, C5, DL	Depth	421 mm
Paper tray media weight	90.3 - 105 g/m ²		
Ports & interfaces			
Standard interfaces	Ethernet, USB 2.0		
Direct printing *	✓		
USB 2.0 ports quantity	3		
USB connector	USB Type-A / USB Type-B		
Optional connectivity	Wireless LAN		

Network		Weight & dimensions	
Ethernet LAN *	✓	Height	308 mm
Cabling technology	10/100/1000Base-T(X)	Weight	21 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging data	
Security algorithms	HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS	Package width	495 mm
Supported network protocols (IPv4)	TCP/IP IPv4, AppleTalk	Package depth	595 mm
Supported network protocols (IPv6)	TCP/IP IPv6, TCP, UDP	Package height	402 mm
		Package weight	23.9 kg
Management protocols	DHCP, APIPA (AutoIP), mDNS, IGMP, Bonjour, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL5 /TLS), Finger	Packaging content	
Mobile printing technologies	Apple AirPrint	Cartridge(s) included	✓
		Included cartridge capacity (black)	3000 pages
		Included cartridge capacity (CMY)	2000 pages
		Manual	✓
		Software CD	✓
		Documentation CD	✓
		Developer unit included	✓
		Cables included	AC
Performance			
Internal memory *	1024 MB		
Maximum internal memory	1024 MB		
Built-in processor	✓		
Processor frequency	1000 MHz		



0734646682633



734646682633

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.