Lexmark CX820dtfe Laser A4 1200 x 1200 DPI 50 ppm

Tuotemerkki : Lexmark Tuotekoodi: 42K0086

Tuotteen nimi: CX820dtfe

Lexmark CX820dtfe. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 50 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 1200 DPI. Faksaus: Värifaksaus. Suurin ISO Aluokan paperikoko: A4. Tuotteen väri: musta, Valkoinen

Printing		Ports & interfaces	
Print technology *	Laser	Standard interfaces	Ethernet, USB 2.0
Printing *	Colour printing	USB port	✓
Duplex printing *	✓	Network	
Maximum resolution *	1200 x 1200 DPI	Ethernet LAN *	✓
Print speed (black, normal quality,	50 ppm	Cabling technology	10/100/1000Base-T(X)
A4/US Letter) * Print speed (colour, normal quality,		Ethernet LAN data rates	10,100,1000 Mbit/s
A4/US Letter)	50 ppm	Security algorithms	HTTPS, IPSEC, SNMP
Duplex print speed (black, normal quality, A4/US Letter)	50 ppm	Performance	
Time to first page (black, normal)	7 s	Maximum internal memory	4096 MB
Time to first page (colour, normal)	7 s	Card reader integrated	×
Copying		Internal memory *	2048 MB
	Colour convine	Built-in processor	/
Copying * Copy speed (black, normal quality,	Colour copying	Processor frequency	1330 MHz
A4)	50 cpm	Sound pressure level (printing)	55 dB
Copy speed (colour, normal quality, A4)	50 cpm	Sound pressure level (duplex printing)	56 dB
Time to first copy (black, normal)	6.5 s	Sound pressure level (copying)	58 dB
Time to first copy (colour, normal)	7.5 s	Sound pressure level (scanning)	55 dB
Copier resize	25 - 400%	Sound pressure level (quiet mode)	52 dB
Scanning		Sound power level (standby)	15 dB
Duplex scanning *	✓	Design	
Scanning *	Colour scanning	Product colour *	Black, White
Optical scanning resolution *	600 x 1200 DPI	Market positioning *	Business
Maximum scan area	216 x 355 mm	Built-in display *	✓
Scanner type *	Flatbed & ADF scanner	Display diagonal	17.8 cm (7")
Scan technology	CCD	Touchscreen	✓
Scan to	E-mail, FTP, USB	Control type	Touch
Scan speed (colour)	57 ppm	Colour display	✓
Scan speed (black) Duplex scan speed (colour)	57 ppm 114 ppm	Power	
Duplex scan speed (black)	114 ppm	Power consumption (average operating)	870 W
Image formats supported	JPG	Power consumption (PowerSave)	3.2 W
Document formats supported	PDF, XPS	Power consumption (printing)	760 W
Fax		Power consumption (scanning)	115 W
Faxing *	Colour faxing	Power consumption (sleep)	0.3 W
Fax transmission speed Modem speed	3 sec/page 33.6 Kbit/s	Energy Star Typical Electricity Consumption (TEC)	3.1 kWh/week
Features		System requirements	
Recommended duty cycle	2500 - 25000 pages per month	Windows operating systems	
Maximum duty cycle *	200000 pages per month 200000 pages per month Microsoft XPS, PCL 5c, PCL 6, PDF 1.7, PPDS, PostScript 3	supported	✓
Page description languages		Linux operating systems supported	✓
		Operational conditions	
		Operating relative humidity (H-H)	15 - 80%

Input & output capacity		Operational conditions	
Total number of input trays *	4	Operating temperature (T-T)	10 - 32 °C
Total input capacity *	1750 sheets	Operating altitude	0 - 2896 m
Total output capacity *	300 sheets	Certificates	
Paper input type	Paper tray		ENERGY STAR, ICES-003 Class A,
Auto document feeder (ADF)	✓	Certification	BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, CUL, NOM, US FDA / CDRH, IEC 60825-1, CB Report, ISO-532B, CE EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL- AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT, Blue Angel (Blauer
Auto document feeder (ADF) input capacity	150 sheets		
Auto document feeder (ADF) output capacity	150 sheets		
Maximum number of input trays	6		
Maximum input capacity	4500 sheets		
Maximum output capacity	300 sheets		
Paper handling			Engel)
Maximum ISO A-series paper size *	A4	Sustainability	
Paper tray media types *	Banner, Card stock, Envelopes, Labels, Plain paper	Sustainability certificates	Blue Angel, ENERGY STAR
Multi-purpose tray media types	Envelopes, Labels, Plain paper	Weight & dimensions	
ISO A-series sizes (A0A9) *	A4, A5, A6	Width	649 mm
ISO B-series sizes (B0B9)	B5	Depth	588 mm
ISO C-series sizes (C0C9)	C4, C5	Height	1137.4 mm
Non-ISO print media sizes	Executive, Folio, Index card, Legal,	Weight	134.7 kg
·	Letter, Oficio, Statement, Universal	Packaging data	
JIS B-series sizes (B0B9)	B5 7 3/4, 9, 10, B5, C4, C5, DL 4x6"	Package width	762 mm
Envelopes sizes		Package depth	830 mm
Photo paper sizes (imperial)		Package height	1380 mm
		Package weight	149.6 kg
		Other features	•
		Software CD	✓
		Documentation CD	J
		Documentation CD	•





734646617222

0734646617222

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.