

Lexmark MS821dn 1200 x 1200 DPI A4

Tuotemerkki : Lexmark

Tuotekoodi: 50G0121

Tuotteen nimi : MS821dn

- Mustavalkolaser
 - Kaksipuolinen tulostus: Sisäänrakennettu kaksipuolisuus
 - Tulostusnopeus: Jopa 52 s/min
 - Suositeltava kuukausittainen käyttö sivuina: 3000 - 50000 sivua
 A4, 1200 x 1200 DPI, Mustavalkolaser, 52 s/min, 512 Mt, USB 2.0, Gigabit Ethernet
 Lexmark MS821dn. Tulostustekniikka: Laser. Suurin toimintajakso: 250000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaali-laatu, A4/US Letter): 52 ppm, Kaksipuolinen tulostus. Näyttö: LCD

| Printing | | Performance | |
|--|--|---|--|
| Colour * | ✗ | Maximum internal memory | 4608 MB |
| Print technology * | Laser | Built-in processor | ✓ |
| Duplex printing * | ✓ | Processor frequency | 1000 MHz |
| Maximum resolution * | 1200 x 1200 DPI | Processor cores | 2 |
| Print speed (black, normal quality, A4/US Letter) * | 52 ppm | Sound pressure level (duplex printing) | 57 dB |
| Duplex print speed (black, normal quality, A4/US Letter) | 32 ppm | | |
| Time to first page (black, normal) | 4.5 s | | |
| Features | | Design | |
| Maximum duty cycle * | 250000 pages per month | Built-in display * | ✓ |
| Recommended duty cycle | 3000 - 50000 pages per month | Display | LCD |
| Printing colours * | Black | Colour display | ✓ |
| Page description languages * | Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3 | Display diagonal | 6.1 cm (2.4") |
| | | Touchscreen | ✗ |
| Input & output capacity | | | |
| Total number of input trays * | 2 | | |
| Total input capacity * | 650 sheets | | |
| Total output capacity * | 550 sheets | | |
| Paper input type | Paper tray | | |
| Multi-Purpose tray | ✓ | | |
| Multi-Purpose tray input capacity | 100 sheets | | |
| Maximum number of input trays | 6 | | |
| Maximum input capacity | 4400 sheets | | |
| Maximum output capacity | 2550 sheets | | |
| Paper handling | | | |
| Maximum ISO A-series paper size * | A4 | | |
| Paper tray media types * | Card stock, Envelopes, Labels, Plain paper, Transparencies | | |
| Multi-purpose tray media types | Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies | | |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | | |
| Non-ISO print media sizes | Executive, Folio, Legal, Letter, Oficio, Universal | | |
| JIS B-series sizes (B0...B9) | B5 | | |
| Envelopes sizes | 7 3/4, 9, 10, B5, C5, DL | | |
| Paper tray media weight | 60 - 176 g/m ² | | |
| Ports & interfaces | | | |
| Direct printing * | ✓ | | |
| USB port * | ✓ | | |
| USB connector | USB Type-A / USB Type-B | | |
| Optional connectivity | Wireless LAN | | |
| | | Certification | ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1, FCC Class A, cUL CAN / CSA-C22.2 60950-1, NOM , CB EN / IEC 60950-1, CB EN / IEC 60825-1, CE DoC (EN 62301 Class A, EN 62311, CE EN / IEC 60950-1, CE EN / IEC 60825-1, EN 61000-3, EN 55022 Class A, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B , ECMA-370, TED, GOST-R, SII, TER |
| | | Power | |
| | | Power consumption (printing) * | 670 W |
| | | Power consumption (ready) | 39 W |
| | | Energy Star Typical Electricity Consumption (TEC) | 2.1 kWh/week |
| | | System requirements | |
| | | Windows operating systems supported | ✓ |
| | | Linux operating systems supported | ✓ |
| | | Server operating systems supported | SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012 |
| | | Operational conditions | |
| | | Operating temperature (T-T) | 10 - 32 °C |
| | | Operating relative humidity (H-H) | 8 - 80% |
| | | Operating altitude | 0 - 2896 m |

| Network | | Sustainability | |
|-------------------------|--|--------------------------------|---------------------------------------|
| Ethernet LAN * | ✓ | Sustainability certificates | Blue Angel, EPEAT Silver, ENERGY STAR |
| Cabling technology | 10/100/1000Base-T(X) | Weight & dimensions | |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Width | 428 mm |
| Security algorithms | HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SNMPv3, SSL/TLS, TTLS | Depth | 510 mm |
| Performance | | Height | 445 mm |
| Internal memory * | 512 MB | Weight | 25.4 kg |
| | | Packaging data | |
| | | Package width | 550 mm |
| | | Package depth | 650 mm |
| | | Package height | 565 mm |
| | | Package weight | 29.9 kg |
| | | Packaging content | |
| | | Cables included | AC |



0734646672108



734646672108

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.