## **ATEN**

## ATEN CL6700MW KVM-kytkin Telineasennus musta

Tuotemerkki: ATEN Tuotekoodi: CL6700MW-ATA-XG

Tuotteen nimi: CL6700MW

ATEN CL6700MW. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DVI-D/HDMI/VGA. HD-tyyppi: Full HD, Enimmäiserottelutarkkuus: 1920 x 1080 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: musta, Telineen kapasiteetti: 1U, Kotelon materiaali: Metalli. Näyttö: LCD, Näytön halkaisija: 43,9 cm (17.3"). Voimanlähde: AC, Tulojännite: 100-240 V, AC-syöttötaajuus: 50 - 60 Hz





Ports & interfaces		System requirements	
Number of computers controlled *	1	Linux operating systems supported	✓
Keyboard port type *	USB	Mac operating systems supported	✓
Mouse port type *	USB	Operational conditions	
Video port type *	DVI-D/HDMI/VGA	Operating temperature (T-T)	0 - 40 °C
HDMI ports quantity DVI-D ports quantity	2	Storage temperature (T-T)	-20 - 60 °C
VGA (D-Sub) ports quantity	2	Operating relative humidity (H-H)	0 - 80%
USB 2.0 Type-B ports quantity	1	Weight & dimensions	
Console ports *	3.5mm headphone, DVI-D, HDMI, USB A, VGA (D-Sub)	Width	589.2 mm
USB connector type	USB Type-A, USB Type-B	Depth	480 mm
Performance		Height	44 mm
	Full HD	Weight	11.6 kg
HD type *  Maximum resolution *	1920 x 1080 pixels	Packaging data	
Video bandwidth	60 Hz	Package width	668 mm
DDC/DDC2 supported	✓ ·	Package depth	718 mm
	•	Package height	135 mm
DDC2B support	•	Package weight	14.7 kg
Design		Packaging content	
Rack mounting *	✓	Manual	✓
Rack capacity	10	Other features	
Product colour * Housing material LED indicators	Black Metal ✓		KE6920R, KE6920T, KE6922R, KE6922T, CE611, CE620, KE6900AR, KE6900AT, KE6940AR, KE6940AT,
Display			KE6910, KE6910R, KE6910T, KE6912, KE6912R, KE6912T,
Built-in display *	<b>✓</b>		KE6900ST, KE6900, KE6900R,
Display	LCD	Compatibility	KE6900T, KE6940, KE6940R, KE6940T, 2L-5001U, 2L-5002U, 2L-5003U, 2L-7D02DH, 2L-7D02U, 2L-7D02UH, 2L-7D03U, 2L-7D05U, 2L-5001U, 2L-5002U, 2L-5003U, 2L-7D02DH, 2L-7D02U, 2L-7D02UH, 2L-7D03U, 2L-7D05U, CN9600,
Display diagonal	43.9 cm (17.3")		
Power			
Power source	AC		
Input voltage	100-240 V		CS1308, CS1316, CS1768
AC input frequency	50 - 60 Hz	Logistics data	
Input current	1 A		11.6 kg
Power consumption (typical)	19.4 W	Master (outer) case net weight	11.6 kg

System requirements		Logistics data	
Windows operating systems supported	•	Master (outer) case width	668 mm
		Master (outer) case length	718 mm
		Master (outer) case height	135 mm
		Master (outer) case gross weight	14.7 kg
		Products per master (outer) case	1 pc(s)



4719264642517

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.