

## StarTech.com USB32DP4K USB grafiikka-adapteri 3840 x 2160 pikseliä musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** USB32DP4K

**Tuotteen nimi :** USB32DP4K

StarTech.com USB32DP4K. USB-versio: 3.2 Gen 1 (3.1 Gen 1), USB-liitin: USB A-tyyppi, USB-liittimen sukupuoli: Uros. Tuotteen väri: musta, Kotelon materiaali: Muovi. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave,..., Linux-käyttöjärjestelmätuki: Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04. Tuotteen leveys: 45 mm, Tuotteen syvyys: 90 mm, Tuotteen korkeus: 15 mm. Pakkaustyyppi: Laatikko, Pakkauksen leveys: 144 mm, Pakkauksen syvyys: 211 mm



Performance		System requirements	
USB connector type	USB Type-A	Minimum processor family	Core i5
USB connector gender	Male	Minimum processor speed	2.4 GHz
USB version *	3.2 Gen 1 (3.1 Gen 1)	Minimum RAM	4.1 TB
DVI output *	✗	Weight & dimensions	
HDMI output *	✗	Width	45 mm
DisplayPort output *	✓	Depth	90 mm
Number of displays supported *	1	Height	15 mm
Internal memory	1024 MB	Weight	60 g
Maximum resolution	3840 x 2160 pixels	USB cable length	0.063 m
Refresh rate at maximum resolution	30 Hz	Operational conditions	
Supported graphics resolutions	1280 x 800, 1366 x 768, 2048 x 1152, 3840 x 2160, 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1400 x 1050 (SXGA+), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 640 x 480 (VGA), 800 x 600 (SVGA)	Operating temperature (T-T)	10 - 40 °C
	Supported video modes	480p, 720p, 1080p, 2160p	Storage temperature (T-T)
Audio output channels	2.0 channels	Operating relative humidity (H-H)	0 - 85%
Chipset	DisplayLink - DL-5500	Packaging data	
USB pass-through	✗	Package type	Box
Certification	CE, FCC, TAA, DisplayLink, REACH	Package width	144 mm
Design		Package depth	211 mm
Product colour	Black	Package height	38 mm
Housing material	Plastic	Package weight	204 g
Integrated USB cable	✓	Packaging content	
		Manual	✓
		Software CD	✓
		Technical details	
		Compliance certificates	RoHS
		Logistics data	
		Products per master (outer) case	20 pc(s)

System requirements		Logistics data	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Master (outer) case width	240 mm
		Master (outer) case length	410 mm
		Master (outer) case height	319 mm
		Harmonized System (HS) code	84733020
Mac compatibility	✓		
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		
Linux operating systems supported	Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04		
Other operating systems supported	ChromeOS		



0065030858380



065030858380



0650308583806



650308583806



5054629512920

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.