KYOCERA ECOSYS M3660idn Laser A4 1200 x 1200 DPI 60 ppm

Tuotemerkki: KYOCERA Tuoteperhe: ECOSYS Tuotekoodi: 1102TA3NL0

Tuotteen nimi: M3660idn

KYOCERA ECOSYS M3660idn. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: $1200 \times 1200 \text{ DPI}$. Kopiointi: Yksittäiskopiointi, Kopioinnin enimmäistarkkuus: $600 \times 600 \text{ DPI}$. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: $600 \times 600 \text{ DPI}$. Faksaus: Yksittäisfaksin lähetys. Suurin ISO A-luokan paperikoko: A4. Tuotteen väri: musta, Valkoinen



Duinting		Danes bandling	
Printing		Paper handling	
Print technology *	Laser	Paper tray media weight	60 - 120 g/m²
Printing *	Mono printing	Multi-Purpose Tray media weight	60 - 220 g/m²
Duplex printing *	/	Auto Document Feeder (ADF) media weight	50 - 120 g/m²
Maximum resolution *	1200 x 1200 DPI	Duplex media weight	60 - 120 g/m ²
Print speed (black, normal quality, A4/US Letter) *	60 ppm	Scan media weight	50 - 120 g/m²
Duplex print speed (black, normal quality, A4/US Letter)	43 ppm	Ports & interfaces	File and HCD 2.0
Warm-up time	25 s	Standard interfaces	Ethernet, USB 2.0
Time to first page (black, normal)	4.9 s	USB port	✓
Secure printing	✓	USB 2.0 ports quantity	3
Copying		Network	
Duplex copying *	✓	Wi-Fi *	×
Copying *	Mono copying	Ethernet LAN *	✓
Maximum copy resolution *	600 x 600 DPI	Cabling technology	10/100/1000Base-T(X)
Copy speed (black, normal quality,	60 2777	Ethernet LAN data rates	10,100,1000 Mbit/s
A4)	60 cpm	Email over SSL	✓
Duplex copy speed (black, US Letter)	43 ppm	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print
Time to first copy (black, normal)	6 s		Service
Maximum number of copies	999 copies	Performance	
Copier resize	25 - 400%	Maximum internal memory	3000 MB
N-in-1 copy function	✓	Card reader integrated	×
N-in-1 copy function (N=)	2, 4	Internal memory *	1000 MB
ID-card copy function	✓	Built-in processor	✓
Scanning		Coprocessor frequency	1.2 GHz
Duplex scanning *	1	Sound pressure level (printing)	57 dB
Scanning *	Colour scanning	Sound pressure level (copying)	57 dB
Optical scanning resolution *	600 x 600 DPI	Sound power level (standby)	30 dB
Scanner type *	Flatbed & ADF scanner	Design	
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Product colour *	Black, White
Image formats supported	JPEG, TIFF		•
Document formats supported	PDF, XPS	Market positioning *	Business
Fax	· ·	Built-in display *	TFT
		Display Display diagonal	17.8 cm (7")
Duplex faxing	V		` ,
Faxing *	Mono faxing	Touchscreen	✓

Fax		Design	
Fax resolution (black)	400 x 400 DPI	Control type	Touch
Fax transmission speed	3 sec/page	Colour display	✓
Modem speed	33.6 Kbit/s	Power	•
Features		Power consumption (max)	1276 W
Recommended duty cycle	5000 - 15000 pages per month	Power consumption (printing)	723 W
Maximum duty cycle *	275000 pages per month	Power consumption (copying)	746 W
Number of print cartridges *	1	Power consumption (ready)	54 W
Printing colours *	Black	Power consumption (sleep)	0.5 W
Page description languages	OpenXPS, PCL 6, XPS	Energy Star Typical Electricity	3.37 kWh/week
Input & output capacity		Consumption (TEC) AC input voltage	220 - 240 V
Total number of input trays *	2	AC input frequency	50 Hz
Total input capacity *	600 sheets	Certificates	
Total output capacity *	500 sheets	Certification	TÜV/GS, CE
Multi-Purpose tray	100 sheets		100/03, 62
Multi-Purpose tray input capacity Paper input type	Cassette	Sustainability	DI A LEDEAT O'L ENER OV
Auto document feeder (ADF)	✓	Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Auto document feeder (ADF) input capacity	100 sheets	Weight & dimensions	
Auto document feeder (ADF) output	100 sheets	Width	480 mm
capacity	100 Sheets	Depth	495 mm
Manual feeder	✓	Height	590 mm
Maximum number of input trays	6	Weight	24.1 kg
Maximum input capacity	2600 sheets	Packaging content	
Maximum output capacity	500 sheets	Cartridge(s) included	✓
Paper handling		Included cartridge capacity (black)	10000 pages
Maximum ISO A-series paper size * Paper tray media types * Multi-purpose tray media types ISO A-series sizes (A0A9) *	A4 Plain paper Legal A4	Power cord included	•
		Quick installation guide	✓
		Logistics data	
		Harmonized System (HS) code	84433100
		Technical details	
		Compliance certificates	RoHS
		Other features	
		Safety sheet	✓
		Finishing option	✓
		Software CD	✓
		Documentation CD	✓





632983051009

0632983051009

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.