



D-Link DGS-1510 Hallittu L3 Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta

Tuotemerkki : D-Link

Tuotekoodi: DGS-1510-52XMP

Tuotteen nimi : DGS-1510

D-Link DGS-1510. Kytin tyyppi: Hallittu, Kytinkerros: L3. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 48. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 128 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Power over Ethernet -tuki. Telineasennus



Management features		Power over Ethernet (PoE)	
Switch type *	Managed	Power over Ethernet (PoE) *	✓
Switch layer	L3	Operational conditions	
Quality of Service (QoS) support	✓	Operating temperature (T-T)	-5 - 50 °C
Web-based management	✓	Storage temperature (T-T)	-20 - 70 °C
Traffic classification	✓	Operating relative humidity (H-H)	0 - 95%
ARP inspection	✓	Storage relative humidity (H-H)	0 - 95%
Ports & interfaces		Heat dissipation	138.787 BTU/h
Basic switching RJ-45 Ethernet ports quantity *	48	Weight & dimensions	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Width	440 mm
SFP+ module slots quantity	4	Depth	308 mm
Network		Height	44 mm
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Weight	5.41 kg
10G support *	✓	Packaging data	
Cable types supported	Cat5, Cat5e	Package width	475 mm
Full duplex	✓	Package depth	520 mm
Auto MDI/MDI-X	✓	Package height	110 mm
Data transmission		Package weight	7.26 kg
Switching capacity *	128 Gbit/s	Technical details	
Throughput	95.24 Mpps	Shipping (inner) case height	50.7 cm
MAC address table *	16000 entries	Shipping (inner) case width	27.3 cm
Number of IP interfaces	16	Shipping (inner) case length	55.5 cm
Jumbo frames support	✓	Shipping (inner) case net weight	14.5 kg
Jumbo frames	9216	Products per shipping (inner) case	2 pc(s)
Multicast features		Pallet gross weight (air)	400.7 kg
Multicast support	✓	Master (outer) cases per pallet (air)	24 pc(s)
Multicast MAC address table	512 entries	Products per pallet (air)	48 pc(s)
Design		Pallet gross length	110 cm
Rack mounting *	✓	Pallet gross width	120 cm
Stackable *	✓	Pallet height (air)	166 cm
Product colour	Black	Pallet gross weight (sea)	400.7 kg
Reset button	✓	Master (outer) cases per pallet (sea)	24 pc(s)
		Products per pallet (sea)	48 pc(s)
		Pallet height (sea)	166 cm
		Shipping (inner) case gross weight	16.1 kg

Design		Certificates	
LED indicators	Activity, Link, PoE, Speed	Certification	CE FCC C-Tick VCCI BSMI cUL CB
Number of fans	3 fan(s)	Logistics data	
Performance		Harmonized System (HS) code	85176990
Noise level	56.9 dB		
Power			
Power supply included *	✓		
AC input voltage	100 - 240 V		
AC input frequency	50 - 60 Hz		
Power consumption (max)	486.9 W		



0790069434303



790069434303

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.