



APC Easy 3S uninterruptible power supply (UPS) Double-conversion (Online) 15 kVA 15000 W

Brand : APC

Product code: E3SUPS15KHB2

Product name : Easy 3S

APC Easy 3S. UPS topology: Double-conversion (Online), Output power capacity: 15 kVA, Output power: 15000 W. Battery technology: Sealed Lead Acid (VRLA), Battery voltage: 240 V. Form factor: Tower, Product colour: White, Display type: LED. Width: 380 mm, Depth: 928 mm, Height: 1400 mm. Output voltage: 400 V




| Features | | Design | |
|--|----------------------------|------------------------------------|--|
| UPS topology * | Double-conversion (Online) | Display type | LED |
| Output power capacity * | 15 kVA | International Protection (IP) code | IP20 |
| Output power * | 15000 W | Certification | CE, EAC, IEC 62040-1-1, IEC 62040-2, IEC 62040-3, IEC 62040-4, ISTA 2B, RCM, WEEE, REACH |
| Waveform * | Pure sine | Operational conditions | |
| Input operation voltage (min) * | 304 V | Operating temperature (T-T) | 0 - 40 °C |
| Input operation voltage (max) * | 477 V | Storage temperature (T-T) | -15 - 40 °C |
| Input frequency * | 45/65 Hz | Operating relative humidity (H-H) | 0 - 95% |
| Output operation voltage (min) | 380 V | Storage relative humidity (H-H) | 0 - 95% |
| Output operation voltage (max) | 415 V | Operating altitude | 0 - 999.9 m |
| Output frequency | 50/60 Hz | Non-operating altitude | 0 - 15000 m |
| Maximum current | 28 A | Technical details | |
| Number of input phases | 3 | Compliance certificates | RoHS |
| Number of output phases | 3 | Weight & dimensions | |
| Input power factor | 0.99 | Width | 380 mm |
| Output voltage Total Harmonic Distortion (THD) | 3% | Depth | 928 mm |
| Input current Total Harmonic Distortion (THD) | 3% | Height | 1400 mm |
| Noise level | 60 dB | Weight | 436 kg |
| Battery | | Package width | 563 mm |
| Battery technology | Sealed Lead Acid (VRLA) | Package depth | 1014 mm |
| Battery voltage | 240 V | Package height | 1640 mm |
| Number of batteries supported | 3 | Package weight | 481 kg |
| Design | | Packaging data | |
| Form factor * | Tower | Quick installation guide | ✓ |
| Product colour * | White | | |

Logistics data

| | |
|-----------------------------|----------|
| Harmonized System (HS) code | 85078000 |
|-----------------------------|----------|

Other features

| | |
|----------------|-------|
| Output voltage | 400 V |
|----------------|-------|



0731304428206



731304428206



8592978120009

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.