Epson WorkForce DS-970 Sheet-fed scanner 600 x 600 DPI A4 Grey, White

Brand : Epson

Product family: WorkForce F

Product code: B11B251401

Product name : DS-970

Epson WorkForce DS-970. Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Grey, White, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 9000 pages, Scan file formats: JPEG, PDF, TIFF. Auto document feeder (ADF) input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6





Scanning		Power	
Colour scanning Duplex scanning * Input colour depth Output colour depth	600 x 600 DPI 30 bit 24 bit 10 bit	Power supply type * Power consumption (typical) Power consumption (off) AC input frequency Sleep mode Input voltage	AC 40 W 0.1 W 50 - 60 Hz ✓ 100 - 240 V
Output greyscale depth ADF scan speed (b/w, A4) ADF scan speed (colour, A4)	8 bit 85 ppm 85 ppm	Weight & dimensions Width Depth	296 mm 169 mm
Design Scanner type *	Sheet-fed scanner	Height Weight	167 mm 3.6 kg
Product colour * Display Display diagonal Colour display Built-in display *	Grey, White LCD 3.81 cm (1.5") ✓	Packaging data Quantity per pack Package width Package depth Package height	1 pc(s) 260 mm 363 mm 310 mm
Performance Sensor type *	CIS	Package weight Packaging content	4.6 kg
Scan file formats Daily duty cycle (max) * Scan to Scan drivers Password protection Ultrasonic sensor Scanning noise level	JPEG, PDF, TIFF 9000 pages Cloud TWAIN, ISIS, SANE, WIA ✓ ✓ 55 dB	Cables included AC adapter included Drivers included Bundled software	AC ✓ Jocument Capture Pro 2.0, Epson Device Admin (EDA), Epson Scan 2

Input capacity		System requirements	
Auto document feeder (ADF) input capacity	100 sheets		Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows
Paper handling		Compatible operating systems	Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Vista, Windows XP SP3
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)		
Maximum ISO A-series paper size *	A4	Windows operating systems	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista,
ISO A-series sizes (A0A9)	A3, A4, A5, A6	supported	Windows XP
ISO B-series sizes (B0B9)	B4, B5, B6		Windows Server 2003, Windows
Letter	 Image: A set of the set of the	Server operating systems supported	
Legal	1		x64, Windows Server 2012 R2
Auto Document Feeder (ADF) media	27 - 413 g/m²	Operational conditions	
weight	-	Operating temperature (T-T)	5 - 35 °C
Maximum scan area (ADF)	215.9 x 6096 mm	Storage temperature (T-T)	25 - 60 °C
Minimum scan area (ADF)	50.8 x 50.8 mm	Operating relative humidity (H-H)	15 - 80%
Ports & interfaces		Storage relative humidity (H-H)	15 - 85%
USB port *	1	Other features	
USB port * USB version	✔ 3.2 Gen 1 (3.1 Gen 1)	Other features Control panel	5-line LCD with Push Scan features
1	-		1200 dpi
USB version	3.2 Gen 1 (3.1 Gen 1)	Control panel	
USB version Optional connectivity	3.2 Gen 1 (3.1 Gen 1) Ethernet	Control panel Output resolutions	1200 dpi
USB version Optional connectivity Standard interfaces	3.2 Gen 1 (3.1 Gen 1) Ethernet	Control panel Output resolutions Image formats supported	1200 dpi
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6)	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes	Control panel Output resolutions Image formats supported Technical details	1200 dpi BMP, JPEG, TIFF, PNG
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4)	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet	1200 dpi BMP, JPEG, TIFF, PNG
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4) IPv6 support	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes TCP/IP, DHCP, DNS, SNMP, SLP ✓	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4)	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin Pallet gross weight	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia 0 g
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4) IPv6 support	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes TCP/IP, DHCP, DNS, SNMP, SLP ✓	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin Pallet gross weight Products per pallet layer	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia 0 g 8 pc(s)
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4) IPv6 support	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes TCP/IP, DHCP, DNS, SNMP, SLP ✓	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin Pallet gross weight Products per pallet layer Products per pallet layer (UK)	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia 0 g 8 pc(s) 10 pc(s)
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4) IPv6 support	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes TCP/IP, DHCP, DNS, SNMP, SLP ✓	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin Pallet gross weight Products per pallet layer Products per pallet layer Products per pallet layer (UK) Products per pallet (UK)	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia 0 g 8 pc(s) 10 pc(s) 60 pc(s)
USB version Optional connectivity Standard interfaces Network Ethernet LAN Supported network protocols (IPv6) Supported network protocols (IPv4) IPv6 support	3.2 Gen 1 (3.1 Gen 1) Ethernet USB 3.2 Gen 1 (3.1 Gen 1) ✓ Yes TCP/IP, DHCP, DNS, SNMP, SLP ✓	Control panel Output resolutions Image formats supported Technical details Scan technology Logistics data Products per pallet Country of origin Pallet gross weight Products per pallet layer Products per pallet layer (UK)	1200 dpi BMP, JPEG, TIFF, PNG ReadyScan LED 48 pc(s) Indonesia 0 g 8 pc(s) 10 pc(s)



8715946660851

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.