Chieftec PowerPlay power supply unit 650 W 20+4 pin ATX PS/2 Black, Red

Brand : Chieftec

Product code: GPU-650FC

Product name : PowerPlay


Chieftec PowerPlay. Total power: 650 W, AC input voltage: 100 - 240 V, AC input frequency: 47 - 63 Hz. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 60 cm, SATA power cable length: 150,800 mm. Purpose: PC, Power supply unit (PSU) form factor: PS/2, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Red, Cooling type: Active, Fan diameter: 14 cm. Width: 150 mm, Depth: 160 mm, Height: 86 mm





Power		Ports & interfaces	
Total power * AC input voltage * AC input frequency Input current Power factor Power Factor Correction (PFC) type	input voltage * 100 - 240 V input frequency 47 - 63 Hz ut current 10 A wer factor 0.9 wer Factor Correction (PFC) type Active mbined power (+3.3V) 120 W mbined power (+12V) 650.4 W mbined power (+5V) 120 W mbined power (+5V) 120 W mbined power (+5V) 120 W mbined power (+12V) 3.6 W mbined power (+5Vsb) 15 W x output current (+3.3V) 22 A x output current (+12V) 54.2 A	PCI Express power connectors (6+2 pin) PCI Express power cable length ATX power connector (20+4 pin) Floppy drive power connector Floppy disk drive connector	4 60 cm ✓ 1
Combined power (+3.3V) Combined power (+12V) Combined power (+5V)		PCI Express connector Cabling type Performance	✔ Fully-Modular
Combined power (-12V) Combined power (+5Vsb) Max output current (+3.3V) Max output current (+12V) Max output current (+5V)		80 PLUS certification * Purpose * Power supply unit (PSU) form factor * ATX version	80 PLUS Gold PC PS/2 2.3
•		Design	
Max oulpul current (+5VSD)	3 A	Design	
Power protection features	3 A Over current, Over power, Over voltage, Overheating, Short circuit	Product colour Cooling type	Black, Red Active
	Over current, Over power, Over	Product colour	
Power protection features Ports & interfaces Motherboard power connector * Motherboard power cable length	Over current, Over power, Over voltage, Overheating, Short circuit 20+4 pin ATX 60 cm	Product colour Cooling type Fan diameter Number of fans Fan location	Active 14 cm 1 fan(s) Top
Power protection features Ports & interfaces Motherboard power connector * Motherboard power cable length Number of SATA power connectors	Over current, Over power, Over voltage, Overheating, Short circuit 20+4 pin ATX 60 cm 9	Product colour Cooling type Fan diameter Number of fans Fan location On/off switch	Active 14 cm 1 fan(s) Top
Power protection features Ports & interfaces Motherboard power connector * Motherboard power cable length Number of SATA power connectors SATA power cable length Peripheral (Molex) power connectors (4-pin) * Peripheral (Molex) power cable	Over current, Over power, Over voltage, Overheating, Short circuit 20+4 pin ATX 60 cm 9 150,800 mm 3	Product colour Cooling type Fan diameter Number of fans Fan location On/off switch Weight & dimensions Width Depth	Active 14 cm 1 fan(s) Top ✓ 150 mm 160 mm
Power protection features Ports & interfaces Motherboard power connector * Motherboard power cable length Number of SATA power connectors SATA power cable length Peripheral (Molex) power connectors (4-pin) * Peripheral (Molex) power cable length	Over current, Over power, Over voltage, Overheating, Short circuit 20+4 pin ATX 60 cm 9 150,800 mm 3 150,700 mm	Product colour Cooling type Fan diameter Number of fans Fan location On/off switch Weight & dimensions Width Depth Height	Active 14 cm 1 fan(s) Top ✓ 150 mm 160 mm 86 mm

Packaging data		
Package type	Box	
Logistics data		
Harmonized System (HS) code	84733020	





753263076076

0753263076076

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.