

BenQ MU613 Standard throw projector 4000 ANSI lumens DLP WUXGA (1920x1200) White

Brand : BenQ

Product code: 9H.JKX77.13E

Product name : MU613

- 4,000 ANSI Lumen High Brightness for Stunning Presentations

- WUXGA Resolution and Infographic Mode for Crisp Readability

- Highly Compatible Connectivity

MU613, 1920x1200, DLP 0.47", 4000 lum, 16:10, RMS 2W, VGA, HDMI, 3.5mm, USB, RS-232, AC 100-240V, 50/60Hz, 312x225x222 mm

BenQ MU613. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 15.843 - 17.445 mm, Aperture range (F-F): 2 - 2.05. Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





| Projector | | Network | |
|--|--|---|--|
| Projector brightness *400Projector brightness *DLPProjector native resolution *WUXContrast ratio (typical) *100Native aspect ratio *16:1Number of colours1.07Horizontal scan range15 -Vertical scan range23 -Keystone correction, vertical-40Matrix size1.19 | 762 - 7620 mm (30 - 300") 4000 ANSI lumens DLP WUXGA (1920x1200) 10000:1 16:10 1.073 billion colours | Smart TV * Ethernet LAN * Wi-Fi * Storage Card reader integrated * Multimedia | × × × |
| | 15 - 102 kHz 23 - 120 Hz -40 - 40° 1.19 cm (0.47") DMD | Built-in speaker(s) * RMS rated power Number of built-in speakers Design | ✓ 2 W 1 |
| Light source Light source type * Service life of light source * | Lamp 4000 h | Market positioning * Product type * Product colour * Placement | Presentation Standard throw projector White Desktop |
| Service life of light source (economic mode) Lamp power Lamps quantity | 10000 h 245 W 1 lamp(s) | Cable lock slot Cable lock slot type Display | ✓ Kensington |
| Lens system Focus * Focal length range | Manual 15.843 - 17.445 mm | Built-in display * Power | × |
| Aperture range (F-F) Zoom capability Zoom type Zoom ratio Throw ratio Offset | 2 - 2.05 ✓ Manual 1.1:1 1.5 - 1.65 100% | Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (max) AC input voltage AC input frequency | AC 110 W 0.5 W 260 W 100 - 240 V 50 - 60 Hz |

| Video | | Operational conditions | |
|---|---|--|--|
| Full HD * Supported graphics resolutions Supported video modes | ✓ 640 x 480 (VGA), 1920 x 1200 (WUXGA) 480i, 480p, 576i, 576p, 720p, 1080i, 1080p | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude | 0 - 40 °C -20 - 60 °C 10 - 90% 10 - 90% 0 - 1499 m |
| Ports & interfaces | | Weight & dimensions | |
| HDMI connector type USB 2.0 ports quantity Serial interface type * PC Audio in | Full-size 1 RS-232 ✔ | Width Depth Height Weight * | 312 mm 225 mm 110 mm 2.63 kg |
| PC Audio out | | Packaging content | |
| VGA (D-Sub) ports quantity * HDMI ports quantity * DVI port * Mobile High-Definition Link (MHL) AC (power) in | 2 2 × ✓ | Remote control included * Batteries included Cables included Manual | ۲ AC, VGA |
| - YF / | | Logistics data | |

Harmonized System (HS) code

85286200



4718755077838

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.