



BenQ MU613 Vakioprojektori 4000 ANSI lumenia DLP WUXGA (1920x1200) Valkoinen

Tuotemerkki : BenQ

Tuotekoodi: 9H.JKX77.13E

Tuotteen nimi : MU613

BenQ MU613. Projektorin kirkkaus: 4000 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: WUXGA (1920x1200). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 4000 h, Valonlähteen käyttöikä (säästötila): 10000 h. Tarkennus: Ohje, Polttovälialue: 15.843 - 17.445 mm, Aukkoalue (F-F): 2 - 2,05. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Tuetut videomoodit: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Sarjaliitännän tyyppi: RS-232, HDMI/liitäntätyyppi: Täysikokoinen



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Smart TV *	✗
Projector brightness *	4000 ANSI lumens	Ethernet LAN *	✗
Projection technology *	DLP	Wi-Fi *	✗
Projector native resolution *	WUXGA (1920x1200)	Storage	
Contrast ratio (typical) *	10000:1	Card reader integrated *	✗
Native aspect ratio *	16:10	Multimedia	
Number of colours	1.073 billion colours	Built-in speaker(s) *	✓
Horizontal scan range	15 - 102 kHz	RMS rated power	2 W
Vertical scan range	23 - 120 Hz	Number of built-in speakers	1
Keystone correction, vertical	-40 - 40°	Design	
Matrix size	1.19 cm (0.47")	Market positioning *	Presentation
Matrix type	DMD	Product type *	Standard throw projector
Light source		Product colour *	White
Light source type *	Lamp	Placement	Desktop
Service life of light source *	4000 h	Cable lock slot	✓
Service life of light source (economic mode)	10000 h	Cable lock slot type	Kensington
Lamp power	245 W	Display	
Lamps quantity	1 lamp(s)	Built-in display *	✗
Lens system		Power	
Focus *	Manual	Power source *	AC
Focal length range	15.843 - 17.445 mm	Power consumption (typical) *	110 W
Aperture range (F-F)	2 - 2.05	Power consumption (standby) *	0.5 W
Zoom capability	✓	Power consumption (max)	260 W
Zoom type	Manual	AC input voltage	100 - 240 V
Zoom ratio	1.1:1	AC input frequency	50 - 60 Hz
Throw ratio	1.5 - 1.65		
Offset	100%		

Video		Operational conditions	
Full HD *	✓	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Storage temperature (T-T)	-20 - 60 °C
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	10 - 90%
		Operating altitude	0 - 1499 m
Ports & interfaces		Weight & dimensions	
HDMI connector type	Full-size	Width	312 mm
USB 2.0 ports quantity	1	Depth	225 mm
Serial interface type *	RS-232	Height	110 mm
PC Audio in	✓	Weight *	2.63 kg
PC Audio out	✓		
VGA (D-Sub) ports quantity *	2	Packaging content	
HDMI ports quantity *	2	Remote control included *	✓
DVI port *	✗	Batteries included	✓
Mobile High-Definition Link (MHL)	✓	Cables included	AC, VGA
AC (power) in	✓	Manual	✓
		Logistics data	
		Harmonized System (HS) code	85286200



4718755077838

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date