



APC Smart-UPS 2200VA LCD RM 2U 230V with SmartConnect UPS-virtalähde Linjainteraktiivinen 2,2 kVA 1980 W 9 AC-pistorasia(a)



Tuotemerkki : APC

Tuotekoodi: SMT2200RM12UC


Tuotteen nimi : Smart-UPS 2200VA LCD RM 2U 230V with SmartConnect

APC Smart-UPS 2200VA LCD RM 2U 230V with SmartConnect. UPS topologia: Linjainteraktiivinen, Kokonaislähtöteho (VA): 2,2 kVA, Lähtöteho: 1980 W. Ulostulojen määrä: 9 AC-pistorasia(a), USB-portin tyyppi: USB A-tyyppi, Sarjaliitännän tyyppi: RJ-45. Akkuteknologia: Sealed Lead Acid (VRLA), Akun kestoikä (maks.): 5 vuosi/vuosia, Akun latausaika: 3 h. Kotelo: Telineasennettava, Tuotteen väri: musta, Metallinen, Telineen kapasiteetti: 2U. Vaatimustenmukaisuustodistukset: RoHS, Sertifiointi: CE, EAC, EN 60950, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE

Features		Design	
UPS topology *	Line-Interactive	Form factor *	Rackmount
Output power capacity *	2.2 kVA	Rack capacity	2U
Output power *	1980 W	Cable length	2 m
Waveform *	Sine	Product colour *	Black, Metallic
Input operation voltage (min) *	151 V	Display type	LCD
Input operation voltage (max) *	302 V	Operational conditions	
Input frequency *	50/60 Hz	Operating temperature (T-T)	0 - 40 °C
Output operation voltage (min)	220 V	Storage temperature (T-T)	-15 - 45 °C
Output operation voltage (max)	240 V	Operating relative humidity (H-H)	0 - 95%
Surge energy rating	375 J	Storage relative humidity (H-H)	0 - 95%
Response time	6 ms	Operating altitude	0 - 3000 m
Output voltage Total Harmonic Distortion (THD)	5%	Non-operating altitude	0 - 15000 m
Noise level	55 dB	Certificates	
Power protection features	Over voltage	Compliance certificates	RoHS
Audible alarm(s)	✓	Certification	CE, EAC, EN 60950, EN/IEC 62040-1, EN/IEC 62040-2, GS Mark, IRAM, RCM, VDE, WEEE
Audible alarm modes	Alarm when on battery, Low battery alarm	Packaging content	
Ports & interfaces		Rack mount kit	✓
AC outlets quantity	9 AC outlet(s)	Cables included	RS-232, USB cable
USB port	✓	Sustainability	
USB 2.0 ports quantity	1	Sustainability certificates	Green Premium
USB port type	USB Type-A	Weight & dimensions	
Serial interface	✓	Width	432 mm
Serial interface type	RJ-45	Depth	683 mm
Ethernet LAN (RJ-45) ports	1	Height	86 mm
SmartSlot	✓	Weight	42.3 kg
Battery		Packaging data	
Battery technology	Sealed Lead Acid (VRLA)	Software CD	✓
Number of batteries supported	1	Package width	600 mm
Battery life (max)	5 year(s)	Package depth	980 mm
Battery recharge time	3 h	Package height	254 mm
Replacement battery cartridge	RBC43	Package weight	49.7 kg
		Logistics data	
		Products per pallet	8 pc(s)
		Harmonized System (HS) code	85078000
		Total carbon footprint (kg of CO2e)	3416.11



0731304337324



731304337324

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.