

## Epson EH-TW7100 Standard throw projector 3000 ANSI lumens 3LCD UHD 4K (3840x2160) 3D White



**Brand :** Epson

**Product code:** V11H959040

**Product name :** EH-TW7100

- 4K PRO-UHD for crisp, clear images: Watch native 4K and upscale non-4K content  
- Easy to set up and access content: Stream content by plugging devices into either of the two HDMI ports

- High-quality and affordable: Flexible features that deliver a 4K experience at an affordable price

- Engaging big screen experience: Get the best out of movies, sports and gaming

- Watch a movie a day for seven years: 5,000 hours lamp life in Eco mode

3LCD, 3000 lum, 4K PRO-UHD, 16:9, 100000:1, 32dB, 387W, 6.9kg

Epson EH-TW7100. Projector brightness: 3000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: UHD 4K (3840x2160). Light source type: Lamp, Service life of light source: 3500 h, Service life of light source (economic mode): 5000 h. Focus: Manual, Focal length range: 18.2 - 29.2 mm, Aperture range (F-F): 1.49 - 1.77. Supported 3D technologies: Samsung Active 3D, Supported 3D formats: Side by side, Top and bottom, Supported graphics resolutions: 3840 x 2160. Serial interface type: RS-232C

Projector		Features	
Screen size compatibility *	1016 - 12700 mm (40 - 500")	Noise level (economic mode)	24 dB
Projection distance	2.95 - 4.77 m	Noise level *	32 dB
Projector brightness *	3000 ANSI lumens	2D/3D frequency image	240/480 Hz
Projection technology *	3LCD	Country of origin	Philippines
Projector native resolution *	UHD 4K (3840x2160)	Multimedia	
Contrast ratio (typical) *	100000:1	Built-in speaker(s) *	✓
Native aspect ratio *	16:9	RMS rated power	10 W
Number of colours	1.07 billion colours	Number of built-in speakers	2
Vertical scan range	192 - 240 Hz	Design	
Keystone correction, horizontal	-30 - 30°	Market positioning *	Home cinema
Keystone correction, vertical	-30 - 30°	Product type *	Standard throw projector
Matrix size	1.55 cm (0.61")	Product colour *	White
White light output	3000 ANSI lumens	Placement	Ceiling, Desktop
Colour light output	3000 ANSI lumens	Cable lock slot	✓
Light source		Cable lock slot type	Kensington
Light source type *	Lamp	Display	
Service life of light source *	3500 h	Built-in display *	✗
Service life of light source (economic mode)	5000 h	Power	
Lamp type	UHE	Power source *	AC
Lamp power	250 W	Power consumption (typical) *	387 W
Lens system		Power consumption (standby) *	0.5 W
Focus *	Manual	Power consumption (PowerSave)	297 W
Focal length range	18.2 - 29.2 mm	Power consumption (economy mode)	297 W
Aperture range (F-F)	1.49 - 1.77	AC input voltage	100-240 V
Zoom capability	✓	AC input frequency	50 - 60 Hz
Zoom type	Manual	Operational conditions	
Throw ratio	1.32 - 2.15:1	Operating temperature (T-T)	5 - 30 °C
Horizontal lens shift range	-24 - 24%	Storage temperature (T-T)	-10 - 60 °C
Vertical lens shift range	-60 - 60%	Operating relative humidity (H-H)	20 - 80%
Video		Storage relative humidity (H-H)	10 - 90%
Full HD *	✓	Weight & dimensions	
3D *	✓	Width	410 mm
Supported 3D technologies	Samsung Active 3D	Depth	310 mm
Supported 3D formats	Side by side, Top and bottom		
Supported graphics resolutions	3840 x 2160		

Video		Weight & dimensions	
Supported video modes	2160p	Height	157 mm
Video processing	10 bit	Weight *	6.9 kg
Video colour modes	Auto, Cinema, Dynamic, Natural, Bright cinema	Package width	495 mm
<b>Ports &amp; interfaces</b>		Package depth	500 mm
USB 2.0 ports quantity	2	Package height	235 mm
Mini-USB 2.0 ports quantity	1	Package weight	8.95 kg
Audio (L/R) out	1	<b>Packaging content</b>	
Serial interface type *	RS-232C	Remote control included *	✓
HDMI ports quantity *	2	Batteries included	✓
DVI port *	✗	Cables included	AC
<b>Network</b>		Manual	✓
Smart TV *	✗	WLAN adapter included	✓
Ethernet LAN *	✗	<b>Logistics data</b>	
Wi-Fi *	✗	Quantity per pack	1 pc(s)
<b>Storage</b>		Products per pallet	18 pc(s)
Card reader integrated *	✗	Pallet gross weight	0 g
		Products per pallet (UK)	36 pc(s)
		Pallet weight (UK)	0 g
		Harmonized System (HS) code	85286200



8715946670843

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.