

D-Link AC1200 1200 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DAP-2662

Tuotteen nimi : AC1200

D-Link AC1200. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1200 Mbit/s. Tietoturva-algoritmit: 64-bit WEP, 128-bit WEP, SSID. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 6,5 W



Features		Technical details	
2.4 GHz *	✓	Products per shipping (inner) case	10 pc(s)
5 GHz *	✓	Pallet gross weight (air)	174 kg
6 GHz *	✗	Master (outer) cases per pallet (air)	42 pc(s)
Maximum data transfer rate *	1200 Mbit/s	Products per pallet (air)	420 pc(s)
Maximum data transfer rate (2.4 GHz)	300 Mbit/s	Pallet gross length	120 cm
Maximum data transfer rate (5 GHz)	867 Mbit/s	Pallet gross width	110 cm
Ethernet LAN data rates	10,100,1000 Mbit/s	Pallet height (air)	2.01 m
Frequency band	2.4, 5 GHz	Pallet gross weight (sea)	174 kg
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3af	Master (outer) cases per pallet (sea)	42 pc(s)
Cabling technology	10/100/1000Base-T(X)	Products per pallet (sea)	420 pc(s)
Transmitting power	26 dBmW	Pallet height (sea)	2.01 m
Mean time between failures (MTBF)	341897 h	Shipping (inner) case gross weight	4 kg
Security		Certificates	
Security algorithms *	64-bit WEP, 128-bit WEP, SSID	Certification	FCC, IC, CE, UL, Wi-Fi Certified, Wi-Fi Certified Passpoint
Number of SSID supported	16	Weight & dimensions	
Ports & interfaces		Width	170 mm
Ethernet LAN (RJ-45) ports *	1	Depth	28 mm
WAN connection	Ethernet (RJ-45)	Height	170 mm
DC-in jack	✓	Weight	350 g
Power		Packaging data	
Power over Ethernet (PoE) *	✓	Package width	208 mm
DC voltage range	12 V	Package depth	248 mm
Power consumption (max)	6.5 W	Package height	73 mm
		Package weight	390 g
		Packaging content	

Design		Packaging content	
Placement *	Ceiling, Table, Wall	Quantity per pack	1 pc(s)
Product colour *	White	Other features	
Cable lock slot	✓	Frequency range	2400 - 5850 MHz
LED indicators	Power	Operational conditions	
Antenna		Operating relative humidity (H-H)	10 - 90%
Antenna type *	Internal	Operating temperature (T-T)	0 - 40 °C
Antenna features	Integrated antenna	Storage temperature (T-T)	-20 - 65 °C
Antennas quantity	2	Storage relative humidity (H-H)	5 - 95%
Antenna gain level (max)	3.8 dBi	Logistics data	
Technical details		Harmonized System (HS) code	85176990
Shipping (inner) case length	43.1 cm		
Shipping (inner) case width	38.3 cm		
Shipping (inner) case height	26.8 cm		
Shipping (inner) case net weight	3.9 kg		



0790069443633



790069443633

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.