



D-Link DBS-2000-52 verkkokytin Hallittu L2 Gigabit Ethernet (10/100/1000) Harmaa

Tuotemerkki : D-Link

Tuotekoodi: DBS-2000-52

Tuotteen nimi : DBS-2000-52



D-Link DBS-2000-52. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 48, Console-portti: RJ-45. Kytkentäkapasiteetti: 104 Gbit/s. Verkkostandardit: IEEE 802.3ad. Telineasennus



Management features		Power over Ethernet (PoE)	
Switch type *	Managed	Power over Ethernet (PoE) *	✗
Switch layer	L2	Operational conditions	
Web-based management	✓	Operating temperature (T-T)	-5 - 50 °C
Ports & interfaces		Storage temperature (T-T)	-20 - 70 °C
Basic switching RJ-45 Ethernet ports quantity *	48	Operating relative humidity (H-H)	0 - 95%
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Storage relative humidity (H-H)	0 - 95%
Combo SFP ports quantity	4	Heat dissipation	118.92 BTU/h
Console port	RJ-45	Weight & dimensions	
Network		Width	440 mm
Networking standards *	IEEE 802.3ad	Depth	210 mm
10G support *	✗	Height	44.5 mm
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Weight	3.46 kg
Link aggregation	✓	Packaging data	
Auto MDI/MDI-X	✓	Package width	354 mm
Spanning tree protocol	✓	Package depth	552 mm
Data transmission		Package height	98 mm
Switching capacity *	104 Gbit/s	Package weight	4.6 kg
Forwarding rate	77.4 Mpps	Technical details	
Packet buffer memory	12 MB	Shipping (inner) case height	38.3 cm
Security		Shipping (inner) case width	31.4 cm
IGMP snooping	✓	Shipping (inner) case length	56.2 cm
Security algorithms	WPA, WPA2	Shipping (inner) case net weight	13.8 kg
Design		Products per shipping (inner) case	3 pc(s)
Rack mounting *	✓	Pallet gross weight (air)	284.8 kg
Product colour	Grey	Master (outer) cases per pallet (air)	18 pc(s)
LED indicators	✓	Products per pallet (air)	54 pc(s)
Number of fans	0 fan(s)	Pallet gross length	110 cm
		Pallet gross width	120 cm
		Pallet height (air)	128.4 cm
		Pallet gross weight (sea)	462.2 kg
		Master (outer) cases per pallet (sea)	30 pc(s)

Performance		Technical details	
Built-in processor	✓	Products per pallet (sea)	90 pc(s)
Processor frequency	700 MHz	Pallet height (sea)	2.05 m
Memory type	DDR3-SDRAM	Shipping (inner) case gross weight	14.7 kg
Internal memory	256 MB	Logistics data	
Flash memory	32 MB	Harmonized System (HS) code	85176990
Mean time between failures (MTBF)	400667 h		
Power			
AC input voltage	100 - 240 V		
Power consumption (max)	34.85 W		



0790069442971



790069442971

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.