

Epson TM-m10 (112): BT, Black, PS, EU

Tuotemerkki : Epson

Tuotekoodi: C31CE74112

Tuotteen nimi : TM-m10 (112): BT, Black, PS, EU

- Pieni ja kompakti: Alan pienin 58 mm:n kuittitulostin¹
- Suunniteltu tablet-myyntipisteisiin: Etusijalla mobiiliiliitännät ja pieni tilantarve
- NFC-liitäntä: Tulosta helposti koskettamalla mobiililaitteella tai tablet-tietokoneella, jossa on NFC
- Joustava sijoittelu: Aseta vaak- tai pystyasentoon
- ePOS-Print²: Suoratulostus mistä tahansa mobiililaitteesta

TM-m10 (112): BT, Black, PS, EU

Epson TM-m10 (112): BT, Black, PS, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 6 cm, Tuetut paperin leveydet: 57.5 mm, Tulostuksen enimmäisleveys: 5,25 cm. Yhteysteknologia: Langallinen & langaton, Vakioliitännät: Bluetooth, USB 2.0. Sisäänrakennetut viivakoodit: CODABAR (NW-7), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E, Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h. Tuotteen väri: musta



Printing		Operational conditions	
Colour	✗	Storage temperature (T-T)	-20 - 60 °C
Maximum resolution	203 x 203 DPI	Operating relative humidity (H-H)	10 - 90%
Print speed	150 mm/sec	Storage relative humidity (H-H)	10 - 90%
Print speed (receipt)	150 mm/sec	System requirements	
Character sets	ANK	Mobile operating systems supported Android, Windows Mobile, iOS	
Print technology *	Direct thermal	Weight & dimensions	
Type *	POS printer	Width	102 mm
Paper handling		Depth	102 mm
Maximum roll diameter	6 cm	Height	102 mm
Supported paper width	57.5 mm	Weight	900 g
Maximum printing width	5.25 cm	Packaging data	
Ports & interfaces		Quantity per pack	1 pc(s)
USB port *	✓	Package width	197 mm
USB 2.0 ports quantity	1	Package depth	237 mm
Bluetooth	✓	Package height	179 mm
Bluetooth version	3.1	Package weight	1.61 kg
Connectivity technology *	Wired & Wireless	Packaging content	
Near Field Communication (NFC)	✓	AC adapter included	✓
Standard interfaces	Bluetooth, USB 2.0	Print technology	
Network		Column capacity	35/42
Ethernet LAN *	✗	Logistics data	
Wi-Fi *	✗	Pallet weight (UK)	0 g
Features		Harmonized System (HS) code	84433210
Built-in barcodes *	CODABAR (NW-7), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E	Products per pallet	160 pc(s)
		Products per pallet layer	32 pc(s)

Features		Logistics data	
Sound pressure level (printing)	55 dB	Pallet gross width	80 cm
Mean time between failures (MTBF)	360000 h	Pallet gross length	120 cm
Cutter	✓	Pallet gross height	95 cm
Half-cutter	✓	Pallet gross weight	0 g
Autocutter durability	1 million cuts	Products per pallet (UK)	240 pc(s)
Print head life	100 km	Products per pallet layer (UK)	48 pc(s)
Country of origin	China	Pallet width (UK)	100 cm
Mounting position	Horizontal/Vertical	Pallet length (UK)	120 cm
Built-in sensors details	Paper End Sensor, Papier-Sensor	Pallet height (UK)	95 cm
Safety	EMI FCC Class A, CAN ICES-3(A)/NMB-3(A), UL60950-1/CSA C22.2 No.60950-1	Technical details	
Design		Font styles	ANK
Product colour *	Black	Lifetime	15000000 lines
Power		Other features	
Power consumption (printing)	15.9 W	Buffer size	64 KB
Power plug type	Type C	LED indicators	✓
Power supply type	AC	Mean cycles between failures (MCBF)	60000000
Power consumption	1500 mA	Print head life	100 km - 100.000.000 Impulse
Power consumption (standby)	100 mA		
Operational conditions			
Operating temperature (T-T)	5 - 45 °C		



8715946605845

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-JAN-2025. Prints or copies of Information are only valid on the printed Publication date