![StarTech.com logo]

StarTech.com ST1000SPEX2 verkkokortti Sisäinen Ethernet 1000 Mbit/s

Tuotemerkki : StarTech.com   **Tuotekoodi:** ST1000SPEX2

Tuotteen nimi : ST1000SPEX2

StarTech.com ST1000SPEX2. Sisäinen. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: PCI Express, Käyttöliittymä: Ethernet. Tiedonsiirron enimmäisnopeus: 1000 Mbit/s

Ports & interfaces

Connectivity technology *	Wired
Host interface *	PCI Express
Interface *	Ethernet
Ethernet LAN (RJ-45) ports	1

Network

Maximum data transfer rate *	1000 Mbit/s
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Ethernet LAN	✔
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000BaseT(X)
Wi-Fi	✘
Wake-on-LAN ready	✔
Auto MDIX IEEE	✔
Full duplex	✔
Jumbo frames support	✔
Jumbo frames	9000
Supported network protocols	CSMA/CD

Design

Internal *	✔
Chipset	Realtek RTL8111E
LED indicators	Activity, Link
Mean time between failures (MTBF)	376212 h
Certification	CE, FCC

System requirements

Linux operating systems supported	✔
Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Operational conditions

Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	0 - 100 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	120.3 mm
Depth	67.9 mm
Height	18 mm
Weight	40 g

Packaging data

Drivers included	✔
Low-profile bracket	✔
Package width	142 mm
Package depth	171 mm
Package height	32 mm
Package weight	126 g

Packaging content

Manual	✔

Technical details

Compliance certificates	RoHS

System requirements

|	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard

Logistics data

Harmonized System (HS) code	85176990

Other features

Supported data transfer rates	10/100/1000 Mbit/s

0065030849265

065030849265

5053866622355

5054484241904