

LG 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7

Brand : LG

Product name : 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7

- Brightness(Typ.) : 4,000 cd/m²

- Bezel : 38.4 mm (T/B), 26.0 mm (L/R)
- Interface : HDMI/ DP/HDBaseT/USB/ Audio/ RS232C/ RJ45
- Anti-Reflection Coating

- IP56 Design, IK10 Protective Glass

49XE4F-M, 49", IPS, 1920x1080, 16:9. HDMI, DP, HDBaseT, USB, RS-232C, RJ-45, 656.2x1153x88 mm LG 49XE4F-M Digital signage display 124.5 cm (49') IPS 4000 cd/m² Full HD Black 24/7. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display technology: IPS, Display resolution: 1920 x 1080 pixels, Display brightness: 4000 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black





Display Performance LED backlighting type Direct-LED Operating hours (hours/days) 24/7 IP56 Display diagonal * 124.5 cm (49") International Protection (IP) code Display technology * IPS Mean time between failures (MTBF) 50000 h 1920 x 1080 pixels Display resolution * Power 4000 cd/m² Display brightness * Power consumption (typical) * 290 W Full HD HD type * AC input voltage 100 - 240 V Touchscreen * X AC input frequency 50 - 60 Hz Native aspect ratio 16:9 Computer system Response time 8 ms 1300:1 Computer system * Contrast ratio (typical) x 500000:1 Contrast ratio (dynamic) Built-in processor * × Viewing angle, horizontal 178° Weight & dimensions 178° Viewing angle, vertical Width 656.2 mm Ports & interfaces Depth 88 mm HDMI ports quantity * 2 Height 1153 mm HDMI input ports quantity 2 Weight 32 kg DVI port * × Packaging data DisplayPorts quantity * 1 1286 mm Package width DisplayPorts in 1 Package depth 207 mm USB port * 1 797 mm Package height USB ports quantity 2 Package weight 37 kg Ethernet LAN * Packaging content Wi-Fi * × Remote control included 1 RS-232C Cables included AC, HDMI Audio **Operational conditions** Built-in speaker(s) * × Operating temperature (T-T) -30 - 50 °C Design Operating relative humidity (H-H) 5 - 100% Product design * Digital signage flat panel Certificates Placement supported * Indoor IEC 60950-1 / EN 60950-1 / UL Certification Orientation Horizontal/Vertical 60950-1 FCC "A" / CE / KCC ErP Product colour * Black Logistics data Bezel width (bottom) 3.84 cm Harmonized System (HS) code 85285210 Bezel width (side) 2.6 cm

Product code: 49XE4F-M

Design		Other features	
Bezel width (top)	3.84 cm	HDBaseT port	1
Performance		Manual	1
Purpose *	Universal		





8806098653775

0719192638631



719192638631

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.