

## StarTech.com DK30CHDPDUE kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 1 (3.1 Gen 1) Type-C musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** DK30CHDPDUE

**Tuotteen nimi :** DK30CHDPDUE

StarTech.com DK30CHDPDUE. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Tuotteen väri: musta, Tiedonsiirtonopeus: 5 Gbit/s, Digitaalinen enimmäistarkkuus: 4096 x 2160 pikseliä. AC-syöttöjännite: 100 - 240 V, Syöttöjännite: 2 A, Ulostulojännite: 20 V. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14...



Ports & interfaces		Software			
Connectivity technology *	Wired	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64		
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C				
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4				
USB Power Delivery (USB PD)	✓				
USB Power Delivery revision	2.0				
USB Power Delivery up to	100 W				
HDMI ports quantity *	1				
Headphone outputs *	1				
Headphone connectivity	3.5 mm				
DC-in jack	✓				
<b>Network</b>				Mac compatibility	✓
Ethernet LAN *	✓				
Ethernet LAN (RJ-45) ports	1				
Ethernet LAN data rates	10,100,1000 Mbit/s				
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u				
Auto MDI/MDI-X	✓				
Full duplex	✓				
10G support	✗				
<b>Performance</b>		Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura		
Data transfer rate	5 Gbit/s	<b>Operational conditions</b>			
Maximum digital resolution	4096 x 2160 pixels	Operating temperature (T-T)	0 - 40 °C		
Product colour *	Black	Storage temperature (T-T)	-10 - 70 °C		
On/off switch	✓	Operating relative humidity (H-H)	5 - 95%		
UASP support	✓				
Housing material	Plastic				

Performance		Weight & dimensions	
Certification	CE, FCC, REACH	Width	91 mm
Power		Depth	98 mm
AC input voltage	100 - 240 V	Height	32 mm
Input current	2 A	Weight	200 g
Output voltage	20 V	Packaging data	
Output current	5 A	Package width	185 mm
Power consumption (typical)	100 W	Package depth	165 mm
Power plug type	Type N	Package height	95 mm
Compatible power plug types	EU, UK	Package weight	1 kg
		Packaging content	
		Cables included	USB Type-C
		AC adapter included	✓
		Quick start guide	✓
		Technical details	
		Compliance certificates	RoHS
		Logistics data	
		Products per master (outer) case	6 pc(s)
		Master (outer) case width	200 mm
		Master (outer) case length	310 mm
		Master (outer) case height	360 mm
		Harmonized System (HS) code	84733020
		Other features	
		Chipset	Parade - PS176, Realtek - RTL8153, Realtek - RTS5411, C-Media - CM6533



0065030875660



065030875660

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.