Veho VSS-301-MX1 Kannettava ja juhlakaiutin Kannettava stereokaiutin musta, Hopea 20 W

Tuotemerkki: Veho Tuotekoodi: VSS-301-MX1

Tuotteen nimi: VSS-301-MX1

Veho VSS-301-MX1. Nimellisteho RMS: 20 W, Taajuusalue: 65 - 20000 Hz, Impedanssi: 4000Ω . Yhteysteknologia: Langaton, Bluetooth-kantama: 20 m, Johdon pituus: 0,6 m. Tuotetyyppi: Kannettava stereokaiutin, Tuotteen väri: musta, Hopea. Suositeltu käyttö: Universaali. Akkutyyppi: Sisäänrakennettu akku, Virtalähteen malli: Akku, Akkuteknologia: Litiumioni (Li-Ion)





Loudspeakers		Power	
Number of speakers * Number of drivers	1 2	Battery weight DC input voltage	91 g 5 V
Audio		Power consumption (standby)	4 W
RMS rated power * Frequency range Impedance Signal-to-Noise Ratio (SNR)	20 W 65 - 20000 Hz 4000 Ω 75 dB	Weight & dimensions Width Depth Height	223 mm 100 mm 43 mm
Ports & interfaces	73 45	Weight *	562 g
Connectivity technology * Wi-Fi *	Wireless	Packaging data Package width	296 mm
Bluetooth * Bluetooth version Bluetooth range 3.5 mm connector *	✓ 4.2 20 m	Package depth Package height Package weight Package type	120 mm 54 mm 680 g Box
AUX in *	·	Packaging content	
Cord length	0.6 m	Cables included	AUX, Micro-USB
Design		Manual	✓
Product type * Product colour *	Stereo portable speaker Black, Silver	Logistics data Harmonized System (HS) code	85182200
Performance		Master (outer) case width	450 mm
Recommended usage * Card reader integrated * Built-in microphone * FM radio *	Universal	Master (outer) case length Master (outer) case height Master (outer) case gross weight Master (outer) case net weight Products per master (outer) case	335 mm 270 mm 11.8 kg 11.2 kg 16 pc(s)
Power		Country of origin	China
Power source type	Battery	Other features	
Battery type *	Built-in battery	Number of battery cells	2

Power		Other features	
Battery technology	Lithium-lon (Li-lon)	Packaging content	X1 MX1 Speaker X1 3.5mm Aux cable X1 Micro USB charging cable X1 Multi Lingual User Manual
Battery capacity	4400 mAh		
Battery capacity	16.28 Wh		XI Multi Lingual Oser Manual
Battery voltage	7.4 V		
Battery life (max)	20 h		
Battery recharge time	3.5 h		

