

Epson TM-m10 (111): BT, White, PS, EU

Tuotemerkki : Epson

Tuotekoodi: C31CE74111

Tuotteen nimi : TM-m10 (111): BT, White, PS, EU

- Pieni ja kompakti: Alan pienin 58 mm:n kuittitulostin¹
- Suunniteltu tablet-myyntipisteisiin: Etusijalla mobiiliiliitännät ja pieni tilantarve
- NFC-liitäntä: Tulosta helposti koskettamalla mobiililaitteella tai tablet-tietokoneella, jossa on NFC
- Joustava sijoittelu: Aseta vaak- tai pystyasentoon
- ePOS-Print²: Suoratulostus mistä tahansa mobiililaitteesta
TM-m10 (111): BT, White, PS, EU
Epson TM-m10 (111): BT, White, PS, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 6 cm, Tuetut paperin leveydet: 57.5 mm, Tulostuksen enimmäisleveys: 5,25 cm. Yhteysteknologia: Langallinen & langaton, Bluetooth-versio: 3.0+HS, Vakioiliitännät: Bluetooth, USB 2.0. Ethernet LAN -datanopeudet: 10,100 Mbit/s. Sisäänrakennetut viivakoodit: CODABAR (NW-7), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E, Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h



Printing		Operational conditions	
Colour	✗	Storage temperature (T-T)	-20 - 60 °C
Maximum resolution	203 x 203 DPI	Operating relative humidity (H-H)	10 - 90%
Print speed	150 mm/sec	Storage relative humidity (H-H)	10 - 90%
Print speed (receipt)	150 mm/sec	System requirements	
Character sets	ANK	Mobile operating systems supported Android, Windows Mobile, iOS	
Print technology *	Direct thermal	Weight & dimensions	
Type *	POS printer	Width	102 mm
Paper handling		Depth	102 mm
Maximum roll diameter	6 cm	Height	102 mm
Supported paper width	57.5 mm	Weight	900 g
Maximum printing width	5.25 cm	Packaging data	
Ports & interfaces		Cables included	USB
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	1	Package width	197 mm
Bluetooth	✓	Package depth	237 mm
Bluetooth version	3.0+HS	Package height	179 mm
Connectivity technology *	Wired & Wireless	Package weight	1.58 kg
Near Field Communication (NFC)	✓	Packaging content	
Standard interfaces	Bluetooth, USB 2.0	Drivers included	✓
Network		Quick start guide	✓
Ethernet LAN *	✗	AC adapter included	✓
Ethernet LAN data rates	10,100 Mbit/s	Print technology	
Wi-Fi *	✗	Column capacity	35/42
Features		Logistics data	
Built-in barcodes *	CODABAR (NW-7), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E	Pallet weight (UK)	0 g
Sound pressure level (printing)	55 dB	Products per pallet	160 pc(s)
Mean time between failures (MTBF)	360000 h	Products per pallet layer	32 pc(s)
Cutter	✓	Pallet gross width	80 cm
Half-cutter	✓	Pallet gross length	120 cm
Autocutter durability	1 million cuts	Pallet gross height	95 cm
Print head life	100 km	Pallet gross weight	0 g
Country of origin	China	Products per pallet (UK)	240 pc(s)
Mounting position	Horizontal/Vertical	Products per pallet layer (UK)	48 pc(s)
Built-in sensors details	Paper End Sensor, Papier-Sensor	Pallet width (UK)	100 cm
		Pallet length (UK)	120 cm

Features		Logistics data		
Safety	EMI FCC Class A, CAN ICES-3(A)/NMB-3(A), UL60950-1/CSA C22.2 No.60950-1	Pallet height (UK)	95 cm	
		Technical details		
Design				
Product colour *		White	Font styles	ANK
			Lifetime	15000000 lines
Power		Other features		
Power consumption (printing)	15.9 W	Buffer size	64 KB	
Power plug type	Type C	LED indicators	✔	
Input current	1.5 A	Mean cycles between failures (MCBF)	60000000	
Power supply type	DC	Print head life	100 km - 100.000.000 Impulse	
Power consumption	1500 mA			
Power consumption (standby)	100 mA			
Operational conditions				
Operating temperature (T-T)	5 - 45 °C			



8715946605852

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-JAN-2025. Prints or copies of Information are only valid on the printed Publication date